TABLE OF CONTENTS – OVERVIEW

Table of Contents

List of Tables

List of Figures

List of Acronyms/Abbreviations

Glossary

Executive Summary

- 1.0 Introduction
- 2.0 EIS Development
- 3.0 Proposed Action and Alternatives
- 4.0 Affected Environment
- 5.0 Environmental Consequences
- 6.0 Cumulative Effects
- 7.0 Comparison of Alternatives and Other NEPA Considerations
- 8.0 Major Differences of Opinion

List of Preparers

List of References

Index

Appendix A Thematic Responses to DEIS Comments

Appendix B Underground Mining Alternative Assessment for the NorthMet Mining Project

and Land Exchange Environmental Impact Statement

Appendix C Tribal Agency Position Supporting Materials

-Page Intentionally Left Blank-

TABLE OF CONTENTS

LIST	OF TAI	BLES		XV		
LIST	OF FIG	URES .		xxxix		
LIST	OF ACI	RONYI	MS/ABBREVIATIONS	li		
GLO	SSARY			lv		
EXE	CUTIVE	SUMN	MARY	ES-1		
1.0	INTRO	ODUC'	ODUCTION			
	1.1	OVER	VIEW	1-1		
		1.1.1	NorthMet Project			
		1.1.2	Land Exchange			
	1.2		OLES AND RESPONSIBILITIES			
		1.2.1	Co-lead Agencies	1-9		
		1.2.2	Cooperating Agencies			
		1.2.3	Other Agencies			
	1.3	PURPOSE AND NEED				
		1.3.1	Applicant's Purpose and Need Statement	1-11		
		1.3.2	Co-lead Agencies' Purpose and Need Statements	1-11		
			1.3.2.1 NorthMet Project and Land Exchange Purpose and Need Statement	1-11		
			1.3.2.2 United States Forest Service	1-11		
			1.3.2.3 United States Army Corps of Engineers	1-12		
			1.3.2.4 Minnesota Department of Natural Resources	1-12		
	1.4	REGU	LATORY FRAMEWORK	1-12		
		1.4.1	National Environmental Policy Act	1-12		
			1.4.1.1 Overview	1-12		
			1.4.1.2 Alternatives	1-13		
		1.4.2	Minnesota Environmental Policy Act	1-13		
			1.4.2.1 Overview	1-13		
			1.4.2.2 Alternatives	1-14		
		1.4.3	Land Exchange Requirements	1-14		
		1.4.4	Other Permits and Requirements	1-16		
		1.4.5	Financial Assurance	1-17		

	1.5	PURP	OSE OF THE SDEIS	1-18
	1.6	ORGA	ANIZATION OF THE SDEIS	1-18
	1.7	CONS	STITUENTS OF INTEREST	1-19
2.0	EIS I	DEVELO	OPMENT	2-1
	2.1	INTRO	ODUCTION	2-1
	2.2	DEIS	DEVELOPMENT	2-2
		2.2.1	NorthMet Project Scoping	2-2
		2.2.2	Identification of Issues	2-2
		2.2.3	DEIS Proposed Action and Alternatives	2-3
		2.2.4	Impact Analysis	2-3
		2.2.5	DEIS Publication	2-3
		2.2.6	Comment Period and Public Meetings	2-3
		2.2.7	Receipt and Review of Public and Agency Comments	2-4
	2.3	SDEIS	S DEVELOPMENT	2-4
		2.3.1	Co-lead Agency Decision to Prepare an SDEIS	2-4
			2.3.1.1 Addition of the Land Exchange	2-4
		2.3.2	NorthMet Project	2-4
			2.3.2.1 Project Modifications	2-4
			2.3.2.2 Revised Proposed Action and Alternatives	2-5
			2.3.2.3 Impact Analysis	2-6
		2.3.3	Land Exchange	2-6
			2.3.3.1 Land Exchange Scoping	2-6
			2.3.3.2 Identification of Issues	2-7
			2.3.3.3 Proposed Action and Alternatives	2-7
			2.3.3.4 Impact Assessment	2-7
	2.4	FEIS I	DEVELOPMENT	2-7
		2.4.1	Development of the FEIS	2-7
		2.4.2	Adequacy Determination/Records of Decision	2-8
	2.5	PROJI	ECT PERMITTING	2-8
	2.6	FINA	NCIAL ASSURANCE	2-9
3.0	PRO	POSED	ACTION AND ALTERNATIVES	3-1
	3.1	INTRO	ODUCTION	3-1
		3.1.1	NorthMet Project Proposed Action Overview	3-1
			3.1.1.1 Site Preparation and Construction Overview	3-2

			3.1.1.2 Mine Site Layout Overview	3-2
			3.1.1.3 Mine Operations Overview	3-2
			3.1.1.4 Transportation and Utility Corridor Overview	3-3
			3.1.1.5 Plant Site Layout Overview	3-3
			3.1.1.6 Plant Operations Overview	3-4
			3.1.1.7 Project Closure Overview	3-4
			3.1.1.8 NorthMet Project Proposed Action Alternatives Overview	3-5
		3.1.2	Land Exchange Overview	3-5
			3.1.2.1 Land Exchange Proposed Action Alternatives Overview	3-6
	3.2	NORT	THMET PROJECT PROPOSED ACTION DETAILED DESCRIPTION	3-6
		3.2.1	Overview	3-6
		3.2.2	NorthMet Project Proposed Action	3-15
			3.2.2.1 Mine Site	3-16
			3.2.2.2 Transportation and Utility Corridor	3-79
			3.2.2.3 Plant Site	3-87
			3.2.2.4 Financial Assurance	3-136
		3.2.3	Alternatives	3-139
			3.2.3.1 Process Overview	3-139
			3.2.3.2 NorthMet Project No Action Alternative	3-142
			3.2.3.3 Development of the NorthMet Project Proposed Action	3-142
			3.2.3.4 Reconsideration of Previously Eliminated Alternatives	3-149
			3.2.3.5 Identification of New Alternatives	3-152
	3.3	LAND	EXCHANGE PROPOSED ACTION DETAILED DESCRIPTION	3-156
		3.3.1	Overview	3-156
			3.3.1.1 Development of Land Exchange Proposal	3-157
		3.3.2	Land Exchange Proposed Action	3-159
			3.3.2.1 Federal Lands Proposed for Exchange	3-163
			3.3.2.2 Non-federal Lands Proposed for Exchange	3-163
		3.3.3	Land Exchange Proposed Action Alternatives	3-165
			3.3.3.1 Land Exchange No Action Alternative	3-165
			3.3.3.2 Land Exchange Alternative B	3-166
			3.3.3.3 Alternatives Considered but Eliminated from Detailed Analysis	3-173
4.0	AFFI	ECTED	ENVIRONMENT	4-1
	4.1	INTR	ODUCTION	4-1
	4.2	NORT	THMET PROJECT PROPOSED ACTION	4-3

4.2.1	Land U	se	4-3
	4.2.1.1	Regulatory Considerations	4-3
	4.2.1.2	Mine Site	4-4
	4.2.1.3	Transportation and Utility Corridor	4-9
	4.2.1.4	Plant Site	4-10
4.2.2	Water F	Resources	4-19
	4.2.2.1	Regional Setting	4-19
	4.2.2.2	Partridge River Watershed	4-42
	4.2.2.3	Embarrass River Watershed	4-94
4.2.3	Wetland	ds	4-13:
	4.2.3.1	Mine Site and Transportation and Utility Corridor	4-139
	4.2.3.2	Plant Site	4-158
4.2.4	Vegetat	ion	4-169
	4.2.4.1	Regional Setting	4-169
	4.2.4.2	Mine Site	4-169
	4.2.4.3	Transportation and Utility Corridor	4-19
	4.2.4.4	Plant Site	4-193
4.2.5	Wildlife	3	4-20
	4.2.5.1	Mine Site	4-20
	4.2.5.2	Plant Site and Transportation and Utility Corridor	4-210
4.2.6	Aquatic	Species	4-213
	4.2.6.1	Upper Partridge River Watershed	4-213
	4.2.6.2	Whitewater Reservoir and Colby Lake	4-23:
	4.2.6.3	Embarrass River Watershed	4-23′
	4.2.6.4	Mercury Concentrations in Fish	4-24
4.2.7	Air Qua	ality	4-24
	4.2.7.1	Regional Climate and Meteorology	4-24
	4.2.7.2	Local and Regional Air Quality	4-25
4.2.8	Noise a	nd Vibration	4-253
	4.2.8.1	Regional Setting	4-254
	4.2.8.2	Mine Site	4-25
	4.2.8.3	Plant Site	4-259
4.2.9	Cultural	l Resources	4-26
	4.2.9.1	Introduction	4-26
	1202	Cultural Resources	4-26

		4.2.9.3 Cultural Identity: Natural Resources as Cultural Resources	4-304
	4.2.10	Socioeconomics	4-315
		4.2.10.1 Mine Site, Transportation and Utility Corridor, Plant Site	4-315
	4.2.11	Recreation and Visual Resources	4-343
		4.2.11.1 Mine Site	4-343
		4.2.11.2 Transportation and Utility Corridor	4-350
		4.2.11.3 Plant Site	4-350
	4.2.12	Wilderness and Other Special Designation Areas	4-353
		4.2.12.1 Federally Managed Areas	4-354
		4.2.12.2 State Managed Areas	4-358
	4.2.13	Hazardous Materials	4-361
	4.2.14	Geotechnical Stability	4-363
		4.2.14.1 Waste Rock Stockpiles	4-363
		4.2.14.2 Tailings Basin	4-368
		4.2.14.3 Hydrometallurgical Residue Facility	4-377
4.3	LAND	EXCHANGE	4-385
	4.3.1	Land Use	4-385
		4.3.1.1 Federal Lands	4-385
		4.3.1.2 Non-federal Lands	4-386
	4.3.2	Water Resources	4-407
		4.3.2.1 Federal Lands	4-407
		4.3.2.2 Non-federal Lands	4-408
	4.3.3	Wetlands	4-429
		4.3.3.1 Federal Lands	4-429
		4.3.3.2 Non-federal Lands	4-440
	4.3.4	Vegetation	4-465
		4.3.4.1 Federal Lands	4-465
		4.3.4.2 Non-federal Lands	4-475
	4.3.5	Wildlife	4-511
		4.3.5.1 Federal Lands	4-511
		4.3.5.2 Non-federal Lands	4-512
	4.3.6	Aquatic Species	4-521
		4.3.6.1 Federal Lands	4-521
		4.3.6.2 Non-federal Lands	4-522
	4.3.7	Air Quality	4-547

			4.3.7.1 Federal Lands	4-547
			4.3.7.2 Non-federal Lands	4-547
		4.3.8	Noise and Vibration	4-549
			4.3.8.1 Federal Lands	4-549
			4.3.8.2 Non-federal Lands	4-549
		4.3.9	Cultural Resources	4-555
			4.3.9.1 Federal Lands	4-555
			4.3.9.2 Non-federal Lands	4-556
		4.3.10	Socioeconomics	4-557
			4.3.10.1 Economic Activity	4-557
			4.3.10.2 Recreation	4-557
			4.3.10.3 Other Socioeconomic Characteristics	4-557
		4.3.11	Recreation and Visual Resources	4-559
			4.3.11.1 Federal Lands	4-559
			4.3.11.2 Non-federal Lands	4-560
		4.3.12	Wilderness and Other Special Designation Areas	4-567
			4.3.12.1 Federal Lands	4-567
			4.3.12.2 Non-federal Lands	4-567
		4.3.13	Hazardous Materials	4-569
		4.3.14	Geotechnical Stability	4-571
5.0	ENV	IRONM	ENTAL CONSEQUENCES	5-1
	5.1	INTRO	ODUCTION	5-1
	5.2	NORT	HMET PROJECT PROPOSED ACTION	5-3
		5.2.1	Land Use	5-3
			5.2.1.1 Methodology and Evaluation Criteria	5-3
			5.2.1.2 NorthMet Project Proposed Action	5-3
			5.2.1.3 NorthMet Project No Action Alternative	5-4
		5.2.2	Water Resources	5-5
			5.2.2.1 Evaluation Criteria	5-9
			5.2.2.2 Methodology	5-25
			5.2.2.3 NorthMet Project Proposed Action	5-79
			5.2.2.4 NorthMet Project No Action Alternative	5-221
		5.2.3	Wetlands	5-223
			5.2.3.1 Methodology and Evaluation Criteria	5-225
			5.2.3.2 NorthMet Project Proposed Action	5-229

	5.2.3.3	NorthMet Project Proposed Action Avoidance, Minimization, Mitigation Monitoring Measures	
	5.2.3.4	NorthMet Project No Action Alternative	
5.2.4		ion	
	5.2.4.1	Methodology and Evaluation Criteria	5-339
	5.2.4.2	NorthMet Project Proposed Action	5-340
	5.2.4.3	NorthMet Project No Action Alternative	5-360
5.2.5	Wildlife	<u></u>	5-363
	5.2.5.1	Methodology and Evaluation Criteria	5-363
	5.2.5.2	NorthMet Project Proposed Action	5-364
	5.2.5.3	NorthMet Project No Action Alternative	5-377
5.2.6	Aquatic	Species	5-379
	5.2.6.1	Methodology and Evaluation Criteria	5-380
	5.2.6.2	NorthMet Project Proposed Action	5-381
	5.2.6.3	NorthMet Project No Action Alternative	5-394
5.2.7	Air Qua	ılity	5-395
	5.2.7.1	Methodology and Evaluation Criteria	5-395
	5.2.7.2	NorthMet Project Proposed Action	5-408
	5.2.7.3	NorthMet Project No Action Alternative	5-432
	5.2.7.4	Mitigation Measures	5-432
	5.2.7.5	Amphibole Mineral Fibers	5-434
5.2.8	Noise a	nd Vibration	5-445
	5.2.8.1	Methodology and Evaluation Criteria	5-445
	5.2.8.2	NorthMet Project Proposed Action	5-449
	5.2.8.3	NorthMet Project No Action Alternative	5-477
5.2.9	Cultura	l Resources	5-479
	5.2.9.1	Methodology and Evaluation Criteria Overview	5-479
	5.2.9.2	Affected Cultural Resources	5-482
5.2.10	Socioed	conomics	5-493
	5.2.10.1	Methodology and Evaluation Criteria	5-493
	5.2.10.2	2 NorthMet Project Proposed Action	5-497
	5.2.10.3	NorthMet Project No Action Alternative	5-510
5.2.11	Recreat	ion and Visual Resources	5-511
	5.2.11.1	Methodology and Evaluation Criteria	5-511
	5.2.11.2	2 NorthMet Project Proposed Action	5-512
	5.2.11.3	NorthMet Project No Action Alternative	5-518

	5.2.12	Wilderness and Other Special Designation Areas	5-521
		5.2.12.1 Methodology and Evaluation Criteria	5-521
		5.2.12.2 NorthMet Project Proposed Action	5-521
		5.2.12.3 NorthMet Project No Action Alternative	5-524
	5.2.13	Hazardous Materials	5-525
		5.2.13.1 Evaluation Criteria	5-526
		5.2.13.2 NorthMet Project Proposed Action	5-526
		5.2.13.3 Potential Mitigation Measures	5-543
		5.2.13.4 NorthMet Project No Action Alternative	5-544
	5.2.14	Geotechnical Stability	5-545
		5.2.14.1 Methodology and Evaluation Criteria	5-545
		5.2.14.2 NorthMet Project Proposed Action	5-546
		5.2.14.3 NorthMet Project No Action Alternative	5-576
5.3	LAND	EXCHANGE	5-577
	5.3.1	Land Use	5-577
		5.3.1.1 Methodology and Evaluation Criteria	5-577
		5.3.1.2 Land Exchange Proposed Action	5-578
		5.3.1.3 Land Exchange Alternative B	5-587
		5.3.1.4 Land Exchange No Action Alternative	5-589
	5.3.2	Water Resources	5-591
		5.3.2.1 Methodology and Evaluation Criteria	5-592
		5.3.2.2 Land Exchange Proposed Action	5-592
		5.3.2.3 Land Exchange Alternative B	5-593
		5.3.2.4 Land Exchange No Action Alternative	5-594
	5.3.3	Wetlands	5-595
		5.3.3.1 Methodology and Evaluation Criteria	5-597
		5.3.3.2 Land Exchange Alternative B	5-600
		5.3.3.3 Land Exchange No Action Alternative	5-603
	5.3.4	Vegetation	5-605
		5.3.4.1 Methodology and Evaluation Criteria	5-608
		5.3.4.2 Land Exchange Proposed Action	5-608
		5.3.4.3 Land Exchange Alternative B	5-617
		5.3.4.4 Land Exchange No Action Alternative	5-623
	5.3.5	Wildlife	5-625
		5.3.5.1 Methodology and Evaluation Criteria	5-627

	5.3.5.2	Land Exchange Proposed Action	. 5-627
	5.3.5.3	Land Exchange Alternative B	. 5-635
	5.3.5.4	Land Exchange No Action Alternative	. 5-639
5.3.6	Aquatic	Species	. 5-641
	5.3.6.1	Methodology and Evaluation Criteria	. 5-641
	5.3.6.2	Land Exchange Proposed Action	. 5-642
	5.3.6.3	Land Exchange Alternative B	. 5-652
	5.3.6.4	Land Exchange No Action Alternative	. 5-656
5.3.7	Air Qua	ılity	. 5-659
5.3.8	Noise a	nd Vibration	. 5-661
	5.3.8.1	Methodology and Evaluation Criteria	. 5-661
	5.3.8.2	Land Exchange Proposed Action	. 5-661
	5.3.8.3	Land Exchange Alternative B	. 5-671
	5.3.8.4	Land Exchange No Action Alternative	. 5-672
5.3.9	Cultura	l Resources	. 5-673
	5.3.9.1	Methodology and Evaluation Criteria	. 5-673
	5.3.9.2	Land Exchange Proposed Action	. 5-673
	5.3.9.3	Land Exchange Alternative B	. 5-675
	5.3.9.4	Land Exchange No Action Alternative	. 5-675
5.3.10	Socioec	conomics	. 5-677
	5.3.10.1	Methodology and Evaluation Criteria	. 5-677
	5.3.10.2	2 Land Exchange Proposed Action	. 5-678
	5.3.10.3	B Land Exchange Alternative B	. 5-681
	5.3.10.4	Land Exchange No Action Alternative	. 5-682
5.3.11	Recreat	ion and Visual Resources	. 5-683
	5.3.11.1	Methodology and Evaluation Criteria	. 5-684
	5.3.11.2	2 Land Exchange Proposed Action	. 5-684
	5.3.11.3	3 Land Exchange Alternative B	. 5-699
	5.3.11.4	Land Exchange No Action Alternative	. 5-707
5.3.12	Wildern	ness and Other Special Designation Areas	. 5-709
	5.3.12.1	Methodology and Evaluation Criteria	. 5-709
	5.3.12.2	2 Land Exchange Proposed Action	. 5-709
	5.3.12.3	3 Land Exchange Alternative B	. 5-710
	5.3.12.4	Land Exchange No Action Alternative	. 5-710
5 2 12	Цодода	ous Matarials	5 711

		5.3.14	Geotechnical Stability	5-713		
6.0	CUM	UMULATIVE EFFECTS				
	6.1	INTRO	ODUCTION	6-1		
	6.2	NORT	NORTHMET PROJECT PROPOSED ACTION			
		6.2.1	Cumulative Effects Analysis Approach	6-2		
		6.2.2	Past, Present, and Reasonably Foreseeable Actions and Projects	6-3		
			6.2.2.1 Brief Description of Cumulative Actions Considered	6-8		
		6.2.3	Cumulative Effects by Resource	6-15		
			6.2.3.1 Introduction	6-15		
			6.2.3.2 Land Use	6-15		
			6.2.3.3 Water Resources	6-16		
			6.2.3.4 Wetlands	6-34		
			6.2.3.5 Vegetation	6-43		
			6.2.3.6 Wildlife	6-50		
			6.2.3.7 Aquatic Species	6-59		
			6.2.3.8 Air Quality	6-63		
			6.2.3.9 Noise and Vibration	6-88		
			6.2.3.10 Cultural Resources	6-89		
			6.2.3.11 Socioeconomics	6-95		
			6.2.3.12 Recreation and Visual Resources	6-101		
			6.2.3.13 Wilderness and Other Special Designation Areas	6-103		
			6.2.3.14 Hazardous Materials	6-105		
			6.2.3.15 Geotechnical Stability	6-105		
	6.3	LAND EXCHANGE PROPOSED ACTION				
		6.3.1	Baseline Conditions	6-106		
		6.3.2	Cumulative Forest Service Land Actions	6-109		
			6.3.2.1 Cook County Land Exchange	6-109		
			6.3.2.2 Crane Lake Land Exchange	6-109		
			6.3.2.3 Fall Lake Land Acquisition	6-109		
			6.3.2.4 Wolf Island Phase 2 Land Acquisition (Domine Phase 2)	6-110		
		6.3.3	Approach	6-110		
		6.3.4	Resource-Specific Assessment	6-110		
			6.3.4.1 Land Use	6-110		
			6.3.4.2 Water Resources	6-114		
			6.3.4.3 Wetlands	6-115		

			6.3.4.4	Vegetation	6-117
			6.3.4.5	Wildlife	6-122
			6.3.4.6	Aquatic Species	6-126
			6.3.4.7	Socioeconomics	6-128
			6.3.4.8	Recreation and Visual Resources	6-129
7.0	COM	PARISO	N OF A	LTERNATIVES AND OTHER NEPA CONSIDERATION	ONS 7-1
	7.1	INTROI	DUCTIO	ON	7-1
	7.2	COMPA	ARISON	OF ALTERNATIVES	7-1
		7.2.1	Proposed	d Connected Actions	7-1
		7.2.2	Proposed	d Connected Actions Alternative B	7-2
		7.2.3	No Actio	on Alternative	7-2
		7.2.4	Compari	son of Effects	7-3
	7.3	OTHER	NEPA	CONSIDERATIONS	7-10
		7.3.1	Irreversi	ble or Irretrievable Commitment of Resources	7-10
		7.3.2	Short-Te	erm Uses versus Long-Term Productivity of the Environment	7-11
				able Adverse Effects	
	7.4	PREFEI	RRED A	ALTERNATIVE	7-12
8.0	MAJO	OR DIFFI	ERENC	CES OF OPINION	8-1
	8.1	SUMMA	ARY		8-1
	8.2	INTROI	DUCTIO	ON	8-1
	8.3	MAJOR	DIFFE	RENCES OF OPINION	8-2
	8.4			NCY APPENDIX – SUPPORTING INFORMATION FOR TR	
LIST	OF PR	EPARER	S		PREP-1
LIST	OF RE	FERENC	ES		REF-1
INDE	EX				IND-1
	ENDIX			ATIC RESPONSES TO DEIS COMMENTS	
APPE	ENDIX		NORTI	RGROUND MINING ALTERNATIVE ASSESSMENT I HMET MINING PROJECT AND LAND EXCHANGE CONMENTAL IMPACT STATEMENT	FOR THE
APPE	ENDIX	C	TRIBA	L AGENCY POSITION SUPPORTING MATERIALS	

-Page Intentionally Left Blank-

LIST OF TABLES

Table 1.4-1	Government Permits and Approvals for the Proposed Connected Actions	1-16
Table 1.7-1	Constituents of Interest Discussed in the SDEIS	1-20
Table 3.2-1	Summary of the NorthMet Project Proposed Action and the NorthMet Project No Action Alternative	3-13
Table 3.2-2	Key Phases and Activities (Mine Site)	3-17
Table 3.2-3	Mine Site Equipment Fleet	3-38
Table 3.2-4	Key Characteristics of Proposed Mining	3-39
Table 3.2-5	Blasting Parameters	3-41
Table 3.2-6	Key Characteristics of the Ore Surge Pile	3-42
Table 3.2-7	Key Characteristics of Overburden and Waste Rock Management	3-43
Table 3.2-8	Waste Rock Categorization Properties	3-45
Table 3.2-9	Summary of the Stockpile Liners and Covers	3-51
Table 3.2-10	Surface Owners Along the Transportation and Utility Corridor	3-80
Table 3.2-11	Design Processing Parameters	3-101
Table 3.2-12	Materials Consumed by the Beneficiation Plant Process	3-102
Table 3.2-13	Materials Consumed by the Hydrometallurgical Plant Process	3-112
Table 3.2-14	Plant Site Services	3-113
Table 3.2-15	Preliminary Cost Estimate for Closure	3-138
Table 3.2-16	Comparison of DEIS and SDEIS NorthMet Project Proposed Action	3-147
Table 3.2-17	Previous NorthMet Project Alternatives Screened for the SDEIS	3-153
Table 3.2-18	MEPA Alternatives Types Considered for the NorthMet Project Proposed Action	3-155
Table 3.3-1	Summary of the Land Exchange Proposed Action Alternatives	3-157
Table 3.3-2	Legal Description and Acreage of Parcels Included in the Land Exchange Proposed Action	3-160

Table 4.1-1	Resource Topic Areas Discussed in Chapter 4	4-1
Table 4.2.1-1	Land Use Controls Affecting the NorthMet Project Proposed Action	4-3
Table 4.2.1-2	NorthMet Project Proposed Action Area of Concern Summary List for Voluntary Investigation and Cleanup Program	4-12
Table 4.2.1-3	Non-NorthMet Project Areas of Concern Status	4-15
Table 4.2.2-1	Normal Monthly and Annual Average Air Temperature and Precipitation Near the NorthMet Project	4-19
Table 4.2.2-2	Impaired Waters within the Embarrass River and Partridge River Watersheds	4-29
Table 4.2.2-3	Wild Rice Survey and Water Quality Monitoring Results	4-37
Table 4.2.2-4	Summary of Total Mercury Concentrations in the Partridge River and Embarrass River Watersheds near the Mine Site and Plant Site	4-41
Table 4.2.2-5	Bedrock and Surficial Aquifer Hydraulic Conductivity Estimates at the Mine Site	4-44
Table 4.2.2-6	Summary of Existing Groundwater Quality Monitoring Data for the NorthMet Mine Site	4-57
Table 4.2.2-7	Monthly Statistical Flow Data (cfs) for USGS Gaging Stations in the Partridge River Watershed	4-62
Table 4.2.2-8	Modeled Flow Statistics for Various Locations along the Upper Partridge River	4-65
Table 4.2.2-9	Comparison of MDNR Winter 2011 Gagings with Modeled 30-day Low Flow	4-67
Table 4.2.2-10	Discharges to and Surface Water Withdrawals from the Partridge River Watershed	4-71
Table 4.2.2-11	Available Surface Water Quality Monitoring Data in the Partridge River Watershed	4-73
Table 4.2.2-12	Comparison of Historic and Recent Mean Water Quality Data for Selected Parameters at Common Monitoring Stations along the Partridge River	4-75
Table 4.2.2-13	Baseline Water Quality from the South Branch of the Partridge River	4-76

Table 4.2.2-14	Average Existing Water Quality Concentrations in the Partridge River	4-77
Table 4.2.2-15	Mean Water Quality Data for Longnose Creek, Wetlegs Creek, Wyman Creek, and West Pit Outlet Creek	4-80
Table 4.2.2-16	Comparison of Colby Lake Elevations over Time	4-85
Table 4.2.2-17	Comparison of Whitewater Reservoir Elevations over Time	4-85
Table 4.2.2-18	Summary of Colby Lake Water Quality Data	4-87
Table 4.2.2-19	Summary of Whitewater Reservoir 2010 Water Quality Data	4-89
Table 4.2.2-20	Summary of Surface Water Quality Monitoring Data for Station SD026	4-93
Table 4.2.2-21	Summary of Surface Water Quality Monitoring Data for Station CR110	4-94
Table 4.2.2-22	Summary of Baseline Groundwater Quality Monitoring Data for the Tailings Basin Area and Two Larger Regional Areas	4-108
Table 4.2.2-23	Existing Pond Water and Groundwater Quality at the Tailings Basin	4-110
Table 4.2.2-24	Summary of Existing Groundwater Quality Monitoring Data Downgradient from the Existing LTVSMC Tailings Basin	4-112
Table 4.2.2-25	Existing Domestic Wells Located Between the NorthMet Project Proposed Action Tailings Area and the Embarrass River	4-115
Table 4.2.2-26	Monthly Statistical Flow Data for USGS Embarrass Gaging Stations	4-116
Table 4.2.2-27	Plant Site Surface Water Flows for Existing Conditions including Tailings Basin Seepage and Flowpath Discharge Based on Embarrass River Stream Gaging Results Applied to Contributing Watersheds	4-117
Table 4.2.2-28	NPDES/SDS Discharges to the Embarrass River Watershed	4-121
Table 4.2.2-29	Average Existing Water Quality in the Embarrass River, 2004-2012	4-123
Table 4.2.2-30	Available Surface Water Quality Monitoring Data in the Embarrass River Main Branch	4-125
Table 4.2.2-31	Comparison of Historic and Recent Mean Water Quality Data for Selected Parameters at PM-12 on the Embarrass River	4-126

Table 4.2.2-32	Summary of Existing LTVSMC Tailings Basin Surface Seeps	4-127
Table 4.2.2-33	Water Quality Monitoring Locations for Tailings Basin Surface Seepage and Receiving Streams	4-128
Table 4.2.2-34	Summary of Surface Water Quality Monitoring Data for the Tailings Basin Surface Seeps	4-129
Table 4.2.2-35	Summary of Surface Water Quality Monitoring Data for Tailings Basin Streams Tributary to the Embarrass River	4-131
Table 4.2.3-1	Wetland Classification System Descriptors	4-147
Table 4.2.3-2	Wetland Acreage by Wetland Community Type for Mine Site, Transportation and Utility Corridor, and Area 1	4-154
Table 4.2.3-3	Key Landscape Factors Influencing Wetland Functional Scores in MnRAM 3.0	4-156
Table 4.2.3-4	Wetland Functions and Value Assessment for the Mine Site from 2004 and 2006	4-157
Table 4.2.3-5	Total Wetland Acreage by Wetland Type for Plant Site, Colby Lake Water Pipeline Corridor, and Area 2	4-168
Table 4.2.4-1	NorthMet Mine Site Cover Types	4-170
Table 4.2.4-2	Invasive Non-native Plant Species Found on Mine Sites in the Mesabi Iron Range	4-175
Table 4.2.4-3	Invasive Non-native Plant Species Found Within 3 Miles of the Mine and Plant Sites by the USFS Road Weed Survey	4-176
Table 4.2.4-4	Endangered, Threatened, and Special Concern Plant Species Identified on the Mine Site	4-179
Table 4.2.4-5	USFS RFSS Plant Species within Superior National Forest	4-184
Table 4.2.4-6	NorthMet Transportation and Utility Corridor Cover Types	4-191
Table 4.2.4-7	Endangered, Threatened, and Special Concern Plant Species Identified within the Transportation and Utility Corridor	4-192
Table 4.2.4-8	NorthMet Plant Site Cover Types	4-197
Table 4.2.4-9	NorthMet Colby Lake Water Pipeline Corridor Cover Types	4-198
Table 4.2.5-1	Key Habitat, Cover Types, and Associated Species in the Nashwauk and Laurentian Uplands Subsections at the NorthMet	4 207
	Project Area	4-20/

Table 4.2.6-1	Federal Land Parcel Surface Water Characteristics	4-215
Table 4.2.6-2	Major Channel Characteristics at Biological Survey Stream Sites in the Partridge River Watershed	4-219
Table 4.2.6-3	Average Existing Water Quality Concentrations in the Partridge River	4-220
Table 4.2.6-4	Fish Species Collected at Six Sites in the NorthMet Project Area	4-225
Table 4.2.6-5	Composition of Macroinvertebrate Assemblages at Six Sites in the Federal Parcel.	4-227
Table 4.2.6-6	Mussel Species Identified in the Lake Superior Basin, St. Louis River Watershed, Partridge River, and Embarrass River	4-228
Table 4.2.6-7	Location and Physical Characteristics of Mussel Sample Sites	4-229
Table 4.2.6-8	SGCN and RFSS Species Identified Within Portions of the Laurentian Uplands – Nashwauk Uplands Ecoregion or Superior National Forest	4-233
Table 4.2.6-9	Fish Species Collected in Colby Lake and Whitewater Reservoir by MDNR Fisheries Surveys	4-237
Table 4.2.6-10	Major Channel Characteristics at a Biological and Habitat Survey Stations for Streams within the Vicinity of the Plant Site	4-238
Table 4.2.6-11	Fish Species Collected at Sampling Sites within the Vicinity of the Plant Site and Transportation and Utility Corridor	4-241
Table 4.2.6-12	Composition of Macroinvertebrate Assemblages for Sites in the Embarrass River Watershed	4-244
Table 4.2.7-1	Monitored Background Concentrations (2008–2010)	4-251
Table 4.2.8-1	Decibel Levels of Common Noise Sources	4-253
Table 4.2.8-2	Typical Outdoor Sound Levels by Land Use Category	4-254
Table 4.2.8-3	Summary of Estimated Existing Ambient Noise Levels at the Closest Receptors to the NorthMet Project Area, including the BWCAW	4-259
Table 4.2.9-1	Cultural Resources Identified in the NorthMet Project Area	
Table 4.2.9-2	Laurentian Uplands and Nashwauk Uplands Subsections	4-305
Table 4.2.9-3	Species Potentially Harvested in 1854 Ceded Territory	4-307

Table 4.2.9-4	Cover Types of Associated Species and Resources Regulated by the 1854 Treaty Authority in the NorthMet Project Area	4-309
Table 4.2.9-5	Plant Species Found in At Least Three ECS Vegetation Community Types	4-310
Table 4.2.9-6	Key Habitat, Cover Types, and Associated Species Regulated by the 1854 Treaty Authority in the NorthMet Project Area	4-311
Table 4.2.9-7	Fish Species Regulated by the 1854 Treaty Authority and Collected in the NorthMet Project Area	4-313
Table 4.2.10-1	Population of Study Area Communities 1980 to 2010	4-319
Table 4.2.10-2	Age Characteristics of Study Area Residents, 2010	4-320
Table 4.2.10-3	Racial Characteristics of Study Area Residents, 2010	4-321
Table 4.2.10-4	Educational Characteristics of Study Area Residents, 2010	4-322
Table 4.2.10-5	Income and Poverty Characteristics of Study Area Communities in 2010	4-323
Table 4.2.10-6	At-place Historical Employment by Major SIC Industry in 1980 and 1990	4-324
Table 4.2.10-7	At-place Employment by Major NAICS Industry in 2009	4-325
Table 4.2.10-8	Location Quotients for Major NAICS Industries in the Study Area, 2009	4-328
Table 4.2.10-9	Employment Status of Study Area Communities, 2009	4-329
Table 4.2.10-10	Employment in Study Area Communities by Occupation	4-330
Table 4.2.10-11	Employment in Study Area Communities by Industry	4-331
Table 4.2.10-12	Payroll (\$1,000s) by Major NAICS Industry, 2009	4-334
Table 4.2.10-13	Select Sales and Use Tax Statistics (\$1,000s)	4-335
Table 4.2.10-14	Study Area Housing Unit Characteristics, 2010	4-335
Table 4.2.10-15	Water and Wastewater Capacity	4-337
Table 4.2.10-16	Public Safety	4-338
Table 4.2.10-17	Capacity and Enrollment of Public Schools	4-339
Table 4.2.14-1	Summary of Seepage and Stability Parameters for the Material at the Existing LTVSMC Tailings Basin	4-377

Table 4.2.14-2	Summary of Modeling Permeabilities for the Material Relevant to the Hydrometallurgical Residue Facility	4-383
Table 4.2.14-3	Summary of Shear Strength Parameters for the Material Relevant to the Hydrometallurgical Residue Facility	4-384
Table 4.3.1-1	Management Area Designations for the Federal Lands under the Land Exchange Proposed Action	4-386
Table 4.3.1-2	Management Area Designations for the Federal Lands under Land Exchange Alternative B	4-386
Table 4.3.2-1	Summary of Surface Water and Wild Rice Beds for Federal Lands	4-407
Table 4.3.2-2	Summary of Surface Water and Wild Rice Beds for all Land Exchange Proposed Action Tracts	4-409
Table 4.3.3-1	Wetland Acreage by Wetland Community Type for the Federal Lands within the Land Exchange Proposed Action and within the Land Exchange Alternative B	4-434
Table 4.3.3-2	Wetland Functions and Values Assessment for the Federal Lands Surrounding the Mine Site, 2008	4-436
Table 4.3.3-3	Total Wetland and Upland Acreage for the Non-federal Lands	4-447
Table 4.3.3-4	Total Wetland Acreage by Wetland Type for the Non-federal Lands	4-447
Table 4.3.3-5	Wetland Functional Value Assessment for the Non-federal Lands	4-449
Table 4.3.3-6	Total Wetland Acreage by Wetland Type for Tract 1	4-450
Table 4.3.3-7	Wetland Functional Value Assessment for Tract 1	4-451
Table 4.3.3-8	Total Wetland Acreage by Wetland Type for Tract 2	4-455
Table 4.3.3-9	Wetland Functional Value Assessment for Tract 2	4-457
Table 4.3.3-10	Total Wetland Acreage by Wetland Type for Tract 3	4-458
Table 4.3.3-11	Wetland Functional Value Assessment for Tract 3	4-462
Table 4.3.3-12	Total Wetland Acreage by Wetland Type for Tract 4	4-463
Table 4.3.3-13	Wetland Functional Value Assessment for Tract 4	4-464
Table 4.3.4-1	Federal Lands Cover Types	4-465
Table 4.3.4-2	Management Areas for the Federal Lands	4-467

Table 4.3.4-3	MIH Types and Age Classes (Acres) for the Federal and Non-federal Lands	4-468
Table 4.3.4-4	Landscape Ecosystem Types (Acres) on Federal and Non-federal Lands	4-469
Table 4.3.4-5	Endangered, Threatened, and Special Concern Plant Species Identified on the Federal Lands	4-470
Table 4.3.4-6	Alternative B: Smaller Federal Parcel Cover Types	4-472
Table 4.3.4-7	Management Areas for the Land Exchange Alternative B Lands	4-473
Table 4.3.4-8	MIH Types and Age Classes (Acres) for the Land Exchange Alternative B Lands	4-474
Table 4.3.4-9	Landscape Ecosystem Types (Acres) on the Land Exchange Alternative B Lands and Tract 1 Lands	4-474
Table 4.3.4-10	Non-federal Lands Cover Types	4-475
Table 4.3.4-11	Tract 1 – Hay Lake Lands Cover Types	4-478
Table 4.3.4-12	Tract 2 – Lake County North Cover Types	4-485
Table 4.3.4-13	Tract 2 – Lake County South Cover Types	4-487
Table 4.3.4-14	Tract 3 – Wolf Lands 1 Cover Types	4-490
Table 4.3.4-15	Tract 3 – Wolf Lands 2 Cover Types	4-492
Table 4.3.4-16	Tract 3 – Wolf Lands 3 Cover Types	4-497
Table 4.3.4-17	Tract 3 – Wolf Lands 4 Cover Types	4-499
Table 4.3.4-18	Tract 4 – Hunting Club Lands Cover Types	4-501
Table 4.3.4-19	Tract 5 – McFarland Lake Lands Cover Types	4-504
Table 4.3.4-20	Endangered, Threatened, and Special Concern Plant Species Identified on the Tract 5 Lands	4-509
Table 4.3.5-1	Key Habitat, Cover Types, and Associated Species for the Federal Lands under the Land Exchange Proposed Action and Land Exchange Alternative B	4-511
Table 4.3.5-2	Key Habitat and Cover Types of Species of Greatest Conservation Need and Regional Forester Sensitive Species for Tract 1 in the Nashwauk Ecological Subsection	4-513
	- terral transfer and the Companies of t	

Table 4.3.5-3	Key Habitat and Cover Types of Species of Greatest Conservation Need and Regional Forester Sensitive Species for Tract 2 in the Laurentian Uplands and North Shore Highlands Ecological Subsections	4-515
Table 4.3.5-4	Key Habitat and Cover Types of Species of Greatest Conservation Need and Regional Forester Sensitive Species for Tract 3 in the Laurentian Uplands Ecological Subsection	4-517
Table 4.3.5-5	Key Habitat and Cover Types of Species of Greatest Conservation Need and Regional Forester Sensitive Species for Tracts 4 and 5 in the Border Lakes Ecological Subsection	4-519
Table 4.3.6-1	Alternative B Surface Water Characteristics	4-522
Table 4.3.6-2	Tract 1 Surface Water Characteristics	4-525
Table 4.3.6-3	Fish Species Collected at the MPCA Sampling Sites in the Vicinity of the Tract 1 Parcel	4-525
Table 4.3.6-4	Benthic Macroinvertebrate Attributes for Aquatic Biota Sampling Site MPCAB_05RN029	4-526
Table 4.3.6-5	SGCN and RFSS Species Identified Within Portions of the Nashwauk Uplands Ecoregion or Superior National Forest	4-527
Table 4.3.6-6	Fish Species Collected at Two Sites in the Vicinity of the Wolf Lands Parcels within the Stony River	4-535
Table 4.3.6-7	Benthic Macroinvertebrate Attributes for Aquatic Biota Sampling Sites within the Stony River	4-536
Table 4.3.6-8	SGCN and RFSS Species Identified Within Portions of the Laurentian Uplands Ecoregion or Superior National Forest	4-541
Table 4.3.6-9	SGCN Species for the Border Lakes Ecoregion and the USFS RFSS Species List	4-545
Table 4.3.8-1	Approximate Distances and Direction of Non-federal Lands to Federal Lands and the Plant Site	4-549
Table 4.3.8-2	Summary of Estimated Existing Ambient Noise Levels at the Non-federal Lands	4-553
Table 4.3.9-1	Cultural Resources Identified in the Land Exchange Area	4-555
Table 4.3.11-1	Recreational Opportunity Spectrum Designations within the Land Exchange Proposed Action and Land Exchange Alternative B	4-559

Table 4.3.11-2	Scenic Integrity Objective Designations for Lands under the Land Exchange Proposed Action and Land Exchange Alternative B	4-559
Table 4.3.11-3	Recreational Opportunity Spectrum Designations in the Vicinity of Non-federal Lands	4-560
Table 4.3.11-4	Scenic Integrity Objective Designations in the Vicinity of Non-federal Lands	4-561
Table 5.1-1	Resource Topic Areas Discussed in Chapter 5	5-1
Table 5.2.2-1	Beryllium, Manganese, and Thallium Evaluation Criteria	5-11
Table 5.2.2-2	Groundwater Evaluation Criteria Applicable to the NorthMet Project Proposed Action	5-11
Table 5.2.2-3	Applicable Use Classifications of the Primary Surface Waters in the NorthMet Project Area	5-15
Table 5.2.2-4	Surface Water Quality Evaluation Criteria Applicable to the NorthMet Project Proposed Action	5-17
Table 5.2.2-5	Definition of Terminology used in this SDEIS	5-25
Table 5.2.2-6	Comparison of DEIS and SDEIS Modeling Approaches	5-26
Table 5.2.2-7	Mine Site Hydraulic Conductivities Based on Calibration of the Site MODFLOW Model and Field Testing	5-27
Table 5.2.2-8	Mine Site Surficial Groundwater Flowpaths used in GoldSim Based on Deterministic Run with P50 Inputs	5-37
Table 5.2.2-9	Plant Site Hydraulic Conductivity and Specific Yield Based on MODFLOW Calibration	5-41
Table 5.2.2-10	Plant Site Recharge Based on MODFLOW Calibration	5-41
Table 5.2.2-11	Plant Site Groundwater Flowpaths Based on Deterministic and P50 Inputs	5-45
Table 5.2.2-12	Mine Site Surface Water Flows for Existing Conditions Based on XP-SWMM Model Results Adjusted to Match USGS Stream Gaging Data	5-46
Table 5.2.2-13	Plant Site Surface Water Flows for Existing Conditions including Tailings Basin Seepage and Flowpath Release Based on Embarrass River Stream Gauging Results Applied to Contributing Watersheds	5-47
Table 5.2.2-14	Definition of Fate and Transport Mechanism Terminology used in this SDEIS	5-55

Table 5.2.2-15	Comparison of Site-specific and Literature Sorption Values at the Mine Site	5-56
Table 5.2.2-16	Tailings Basin Facilities	5-67
Table 5.2.2-17	Tailings Basin Solute Source Subareas used in GoldSim for Closure	5-67
Table 5.2.2-18	Groundwater Inflows and Outflows at the Mine Pits Based on MODFLOW Results	5-91
Table 5.2.2-19	Mine Site Solute Source Areas used in GoldSim	5-97
Table 5.2.2-20	Summary of Waste Rock Stockpile Properties	5-100
Table 5.2.2-21	Solute Migration Times for Mine Site Groundwater Flowpaths	5-106
Table 5.2.2-22	Mine Site Groundwater – Maximum P90 Solute Concentration Over Entire 200-Year Simulation Period Based on the GoldSim Probabilistic Model	5-109
Table 5.2.2-23	Maximum Relative Groundwater Concentration Change (NorthMet Project Proposed Action/Continuation of Existing Conditions Scenario, Maximum 90 th Percentile values) for Mine Site Surficial Flowpaths	5-111
Table 5.2.2-24	Total Watershed Area (acres) and Percent Watershed Area Reduction for the Partridge River Resulting from the NorthMet Project Proposed Action	5-117
Table 5.2.2-25	Modeled Percent Change in Selected Streamflow Parameters at Selected Locations in the Partridge River	5-118
Table 5.2.2-26	Pit Outflow and Liner/Equalization Basin Leakage into Groundwater Flowpaths (Based on GoldSim Deterministic Run with P50 Inputs)	5-123
Table 5.2.2-27	Mine Site Process Water Flows to the Wastewater Treatment Facility	5-124
Table 5.2.2-28	Wastewater Treatment Facility Preliminary Water Quality Targets	5-126
Table 5.2.2-29	Culpability Analysis Using Copper and Sulfate at SW-004a	5-127
Table 5.2.2-30	Mine Site Surface Water – Maximum P90 Solute Concentration Over Entire 200-Year Simulation Period Based on the GoldSim	W 450
	Probabilistic Model	5-129

Table 5.2.2-31	Comparison of the P10, P50, and P90 Values for NorthMet Project Proposed Action and Continuance of Existing Conditions Modeled Concentrations at SW-004a for Selected Key Constituents, Year 12	5-132
Table 5.2.2-32	Comparison of the P10, P50, and P90 Values for Proposed Action and Continuation of Existing Conditions Scenario Concentrations at SW-004a for Selected Key Constituents, Year 25	5-133
Table 5.2.2-33	Comparison of the P10, P50, and P90 Values for Proposed Action and Continuation of Existing Conditions Scenario Concentrations at SW-004a for Selected Key Constituents, Year 200	5-134
Table 5.2.2-34	Maximum P90 Surface Water Concentrations for Colby Lake	5-145
Table 5.2.2-35	Estimated Times for Affected Water to Reach the Partridge River	5-154
Table 5.2.2-36	NorthMet Project Proposed Action Tailings Basin Seepage (gpm) During Operations	5-159
Table 5.2.2-37	NorthMet Project Proposed Action Tailings Basin Seepage during Closure	5-160
Table 5.2.2-38	Maximum P90 Concentrations over 500-year Model Simulation Period at All Groundwater Evaluation Points along Modeled Flowpaths in the Plant Site Surficial Aquifer (NorthMet Project Proposed Action)	5-169
Table 5.2.2-39	Annual Average Flow Conditions in the Tributaries	5-177
Table 5.2.2-40	Determination of Combined Flow Requirement from the WWTP and Colby Lake	5-178
Table 5.2.2-41	Augmentation Flows and Sources to Tributaries for Various Time Periods	5-179
Table 5.2.2-42	Plant Site Tributary Surface Water – Maximum P90 Solute Concentration Over Entire 500-Year Simulation Period Based on GoldSim Probabilistic Model	5-183
Table 5.2.2-43	Plant Site Embarrass River Surface Water – Maximum P90 Solute Concentration	5-185
Table 5.2.2-44	Comparison of the P10, P50, and P90 Values for NorthMet Project Proposed Action and Continuation of Existing Conditions Scenario Modeled Concentrations at PM-13 for Selected Key Constituents,	
	Operations (Year 12)	5-186

Table 5.2.2-45	Comparison of the P10, P50, and P90 Values for NorthMet Project Proposed Action and Continuation of Existing Conditions Scenario Modeled Concentrations at PM-13 for Selected Key Constituents, Reclamation (Year 24)	5-186
Table 5.2.2-46	Comparison of the P10, P50, and P90 Values for NorthMet Project Proposed Action and Continuation of Existing Conditions Scenario Modeled Concentrations at PM-13 for Selected Key Constituents, Closure (Year 200)	5-187
Table 5.2.2-47	Comparison of Wastewater Treatment Plant Effluent and Colby Lake Water Quality	5-188
Table 5.2.2-48	Maximum P90 Aluminum Concentrations (μg/L) for Embarrass River Tributaries and Embarrass River for Various Conditions	5-190
Table 5.2.2-49	Total Mercury Concentration Data from Natural Lakes and Mine Pits in Northeastern Minnesota	5-202
Table 5.2.2-50	Initial and Final Parameter Values for the Mercury Mass Balance	5-203
Table 5.2.2-51	Summary of Estimated Mercury-Loading (Inputs) and Losses (Outputs) for the West Pit Lake (Mine Year 20 to about Mine Year 40)	5-204
Table 5.2.2-52	Estimated Mercury Concentration of the Combined Inflows to the Plant Site WWTP	5-206
Table 5.2.2-53	Overview of Monitoring Plans within the Partridge River Watershed	5-218
Table 5.2.2-54	Overview of Monitoring Plans for the Embarrass River Watershed	5-220
Table 5.2.3-1	Total Projected Direct Wetland Effects at the Mine Site and the Transportation and Utility Corridor	5-230
Table 5.2.3-2	Type of Projected Direct Wetland Effects at the Mine Site and the Transportation and Utility Corridor	5-233
Table 5.2.3-3	Wetlands Crossing Analog Impact Zones Resulting from Potential Changes in Hydrology	5-247
Table 5.2.3-4	Wetlands Within Analog Impact Zones Resulting from Potential Changes in Hydrology	5-259
Table 5.2.3-5	Potential Wetland Community Changes Due to Drawdown	5-272
Table 5.2.3-6	Wetlands Abutting the Partridge River	5-273

Table 5.2.3-7	Wetlands within the Mine Site Groundwater Flowpaths	5-284
Table 5.2.3-8	Total Projected Direct Wetland Effects for the Plant Site	5-286
Table 5.2.3-9	Type of Projected Direct Wetland Effects at the Plant Site	5-291
Table 5.2.3-10	Wetlands within the Plant Site Flowpaths	5-297
Table 5.2.3-11	Determination of Combined Flow Requirement for the Watersheds from the Wastewater Treatment Plant and Colby Lake	5-298
Table 5.2.3-12	Wetlands Abutting Unnamed Creek, Trimble Creek, Mud Lake Creek, and Second Creek	5-299
Table 5.2.3-13	Wetland Areas Potentially Indirectly Affected by Changes in Water Quality	5-307
Table 5.2.3-14	Total Projected Direct Wetland Effects for the NorthMet Project Proposed Action	5-309
Table 5.2.3-15	Type of Projected Direct Wetland Effects for the NorthMet Project Proposed Action	5-309
Table 5.2.3-16	Summary of Projected Potential Indirect Wetland Effects for the NorthMet Project Proposed Action	5-310
Table 5.2.3-17	Summary of Wetland Mitigation Ratios	5-315
Table 5.2.3-18	Summary of Proposed Wetland Mitigation Credits	5-327
Table 5.2.3-19	Summary of Proposed Wetland Mitigation for Direct Effects Utilizing USACE Credits	5-329
Table 5.2.3-20	Summary of Proposed Wetland Mitigation for Direct Effects Utilizing Minnesota Wetland Conservation Act Credits	5-331
Table 5.2.4-1	Direct Effects on Cover Types at the Mine Site	5-341
Table 5.2.4-2	Proposed Vegetation Types and Acreages for Reclaimed Stockpiles and Pits at the Mine Site	5-344
Table 5.2.4-3	Effects on Known State-listed ETSC Plant Populations in the Vicinity of the Mine Site, Including the Transportation and Utility Corridor	5-346
Table 5.2.4-4	Direct Effects on Cover Types at the Transportation and Utility Corridor	5-352
Table 5.2.4-5	Effects on Known State-listed ETSC Plant Populations in the Transportation and Utility Corridor	5-355

Table 5.2.4-6	Direct Effects on Cover Types at the Plant Site	5-357
Table 5.2.5-1	Vehicle Traffic within the Mine Site Only	5-366
Table 5.2.5-2	Vehicular and Train Traffic Volume along the Transportation and Utility Corridor	5-366
Table 5.2.5-3	Direct Effects on Key Habitat Types	5-371
Table 5.2.6-1	Partridge River Flow Modeling Results for Evaluation Locations SW-002, SW-004, and SW-004a	5-385
Table 5.2.6-2	Maximum Modeled Monthly P90 Surface Water Concentrations for the Partridge River within the Vicinity of the Mine Site	5-389
Table 5.2.6-3	Maximum Modeled Monthly P90 Surface Water Concentrations for Colby Lake	5-390
Table 5.2.6-4	Predicted Minimum Flow to the Embarrass River Tributaries	5-391
Table 5.2.6-5	NorthMet Project Proposed Action and Continuation of Existing Conditions Scenario Maximum P90 Surface Water Concentrations for the Embarrass River Watershed within the Vicinity of the Plant Site	5-393
Table 5.2.7-1	Summary of NAAQS and MAAQS	5-396
Table 5.2.7-2	Summary of Allowable Prevention of Significant Deterioration Class I and Class II Increments	5-398
Table 5.2.7-3	NorthMet Project Setting Relative to Class I Regions	5-399
Table 5.2.7-4	Annual Criteria Air Pollutant Emissions for Prevention of Significant Deterioration-regulated Stationary Sources	5-403
Table 5.2.7-5	Annual Air Pollutant Emissions for non-Prevention of Significant Deterioration-regulated Mobile Sources and Fugitive Sources	5-403
Table 5.2.7-6	Annual Hazardous Air Pollutant Emissions for Prevention of Significant Deterioration-regulated Stationary Sources	5-404
Table 5.2.7-7	Annual Greenhouse Gas Emissions for Prevention of Significant Deterioration-regulated Stationary Sources	5-405
Table 5.2.7-8	NorthMet Project Proposed Action Annual Greenhouse Gas Emissions	5-405
Table 5.2.7-9	NorthMet Project Proposed Action Lifetime Greenhouse Gas Emissions	5-406

Table 5.2.7-10	Highest NorthMet Project Proposed Action Effects and Prevention of Significant Deterioration Class II Significant Impact Limits	5-410
Table 5.2.7-11	Results of Class II Prevention of Significant Deterioration Increment Analysis	5-410
Table 5.2.7-12	Results of Class II NAAQS Modeling	5-413
Table 5.2.7-13	Summary of Prevention of Significant Deterioration Class I Increment Analysis	5-414
Table 5.2.7-14	Class I Area Visibility Results for NorthMet Project Proposed Action (Method 2 Analysis)	5-416
Table 5.2.7-15	Class I Area Visibility Results for NorthMet Project Proposed Action (Method 8 Analysis)	5-417
Table 5.2.7-16	Terrestrial Effects of Annual Deposition of Sulfur and Nitrogen from the NorthMet Project Proposed Action in Class I Areas	5-419
Table 5.2.7-17	Aquatic Effects of Deposition of Sulfur and Nitrogen from the NorthMet Project Proposed Action in Class I National Park Areas	5-420
Table 5.2.7-18	Comparison of Projected Class I SO2 Concentrations to Green Line Screening Criteria for Vegetation Effects	5-421
Table 5.2.7-19	Chemicals for Evaluation of the Incremental Human Health Risk Assessment for the Mine Site	5-422
Table 5.2.7-20	Summary of the Incremental Human Health Risk Assessment for the Mine Site	5-424
Table 5.2.7-21	Chemicals for Evaluation of the Incremental Human Health Risk Assessment for the Plant Site	5-425
Table 5.2.7-22	Summary of the Incremental Human Health Risk Impacts for the Plant Site	5-426
Table 5.2.8-1	Applicable Noise Standards for Different Land Uses in Minnesota	5-447
Table 5.2.8-2	Maximum Sound Power Levels of Major Equipment and Trucks during Operations at the Mine Site and Plant Site	5-450
Table 5.2.8-3	Predicted Noise Levels at Nearest Receptors to Mining and Hauling Operations at Mine Site (excludes Baseline Levels)	5-452
Table 5.2.8-4	Predicted Noise Levels at Nearest Receptors to Ore-crushing Operations at Plant Site (excludes Baseline Levels)	5-453

Table 5.2.8-5	Limiting Distances for Ore and Waste Rock Blasts at Incremental Ground Vibration Levels	5-454
Table 5.2.8-6	Limiting Distances for Ore and Waste Rock Blasts at Incremental Airblast Overpressure Levels	5-461
Table 5.2.8-7	Total Noise Associated with Concurrent Operations at the Mine Site and Plant Site (includes Baseline Levels)	5-464
Table 5.2.9-1	Acres of the Laurentian Uplands and Nashwauk Uplands Subsections Affected by the NorthMet Project Proposed Action	5-485
Table 5.2.9-2	Affected Cover Types of Associated Species and Resources Regulated by the 1854 Treaty Authority at the NorthMet Project Area	5-486
Table 5.2.9-3	Direct Effects on Key Habitat Types	5-488
Table 5.2.10-1	Comparison of Assumed (IMPLAN) and Actual Commodity Prices	5-496
Table 5.2.10-2	Summary of IMPLAN Model Results	5-500
Table 5.2.10-3	Estimated Annual NorthMet Project Proposed Action Taxes Paid, 2011 Dollars (millions)	5-503
Table 5.2.12-1	Federally Managed Wilderness and Other Special Designation Areas located within or Adjacent to the NorthMet Project Area	5-522
Table 5.2.12-2	State-Managed Wilderness and Other Special Designation Areas located within or Adjacent to the NorthMet Project Area	5-523
Table 5.2.13-1	Hazardous Materials used during Construction, Operation, and Closure Phases of the NorthMet Project Proposed Action	5-528
Table 5.2.13-2	Release Probability of Representative Materials Transported during Construction, Operation, and Closure Phases of the NorthMet Project Proposed Action	5-536
Table 5.2.13-3	Hazardous Material Management Plans	5-539
Table 5.2.14-1	Stability Modeling Results for the Tailings Basin	5-566
Table 5.2.14-2	Results of Liquefaction Triggering Analyses for Tailings Basin	5-567
Table 5.2.14-3	Modeled Factors of Safety for Fully Liquefied Conditions for the Tailings Basin	5-567
Table 5.2.14-4	Modeled Factors of Safety for Fully Liquefied Long-term Conditions for the Tailings Basin	5-567

Table 5.2.14-5	Infinite Slope Stability Analysis Results for the Hydrometallurgical Residue Facility	5-576
Table 5.3.1-1	Management Area Allocations under the Land Exchange Proposed Action	5-579
Table 5.3.1-2	Superior National Forest Boundary, Acreage, and Fragmentation under the Land Exchange Proposed Action	5-580
Table 5.3.1-3	Mineral Interests and Quality of Title for Non-Federal Lands	5-586
Table 5.3.1-4	Management Area Allocations under Land Exchange Alternative B	5-588
Table 5.3.1-5	Superior National Forest Boundary, Acreage, and Fragmentation for Land Exchange Alternative B	5-588
Table 5.3.2-1	Net Change in Surface Water and Wild Rice Beds to the Federal Estate under the Land Exchange Proposed Action and Alternatives	5-591
Table 5.3.2-2	Net Change in Surface Water and Wild Rice Beds to the Federal Estate under the Land Exchange Proposed Action	5-593
Table 5.3.2-3	Net Change in Surface Water and Wild Rice Beds to the Federal Estate under Land Exchange Alternative B	5-594
Table 5.3.3-1	Net Increase or Decrease of Wetland and Floodplain Acres on the Federal Estate from the Land Exchange Proposed Action and Alternatives	5-596
Table 5.3.3-2	Net Increase or Decrease of Wetland Resource Types on the Federal Estate from the Land Exchange Proposed Action and Alternatives	5-596
Table 5.3.3-3	Net Increase or Decrease of Frontage of Waterways on the Federal Estate from the Land Exchange Proposed Action and Alternatives	5-596
Table 5.3.3-4	Wetland and Floodplain Acres for the Land Exchange Proposed Action	5-598
Table 5.3.3-5	Wetland Resource Types for the Land Exchange Proposed Action	5-599
Table 5.3.3-6	Frontage of Waterways for the Land Exchange Proposed Action	5-600
Table 5.3.3-7	Wetland and Floodplain Acres for Land Exchange Alternative B	5-601
Table 5.3.3-8	Wetland Resource Types for Land Exchange Alternative B	5-602
Table 5.3.3-9	Frontage of Waterways for Land Exchange Alternative B	5-603

Table 5.3.4-1	Vegetation and Cover Type Increase or Decrease to the Federal Estate Due to Land Exchange Proposed Action and Alternatives	5-607
Table 5.3.4-2	Net Increase or Decrease to the Federal Estate of MDNR GAP Land Cover Types under the Land Exchange Proposed Action	5-609
Table 5.3.4-3	Net Increase or Decrease to the Federal Estate of Management Areas under the Land Exchange Proposed Action	5-611
Table 5.3.4-4	Net Increase or Decrease to the Federal Estate of MIH Types and Age Classes under the Land Exchange Proposed Action	5-612
Table 5.3.4-5	Net Increase or Decrease to the Federal Estate of MIH Types and Age Classes within Landscape Ecosystems in the Superior National Forest under the Land Exchange Proposed Action	5-613
Table 5.3.4-6	Increase or Decrease to the Federal Estate of State-listed ETSC Plant Populations under the Land Exchange Proposed Action	5-615
Table 5.3.4-7	Net Increase or Decrease to the Federal Estate of MDNR GAP Land Cover Types under Land Exchange Alternative B	5-618
Table 5.3.4-8	Net Increase or Decrease to the Federal Estate of Management Areas under Land Exchange Alternative B	5-619
Table 5.3.4-9	Net Increase or Decrease to the Federal Estate of MIH Types and Age Classes under Land Exchange Alternative B	5-620
Table 5.3.4-10	Net Increase or Decrease to the Federal Estate of MIH Types and Age Classes within Landscape Ecosystems in the Superior National Forest under Land Exchange Alternative B	5-621
Table 5.3.4-11	Increase or Decrease to the Federal Estate of State-listed ETSC Plant Populations under Land Exchange Alternative B	5-622
Table 5.3.5-1	Increase or Decrease of Special Status Wildlife Species on the Federal Estate Resulting from the Land Exchange Proposed Action and Alternatives	5-626
Table 5.3.5-2	Increase or Decrease of Key Habitat Types on the Federal Estate Resulting from the Land Exchange Proposed Action and Alternatives	5-626
Table 5.3.5-3	Increase or Decrease in Suitable Habitat Types for Canada Lynx and Prey Species on the Federal Estate Resulting from the Land	F <20
	Exchange Proposed Action and Alternatives	5-628

Table 5.3.5-4	Increase or Decrease of Lynx Travel Corridors on the Federal Estate Resulting from the Land Exchange Proposed Action and Alternatives	5-629
Table 5.3.5-5	Increase or Decrease in Lynx Analysis Units on the Federal Estate Resulting from the Land Exchange Proposed Action and Alternatives	5-630
Table 5.3.5-6	Increase or Decrease in Gray Wolf Habitat on the Federal Estate Resulting from the Land Exchange Proposed Action and Alternatives	5-631
Table 5.3.5-7	Increase or Decrease of Habitat Types on the Federal Estate Resulting from the Land Exchange Proposed Action	5-633
Table 5.3.5-8	Increase or Decrease of Habitat Types on the Federal Estate Resulting from Land Exchange Alternative B	5-638
Table 5.3.6-1	Federal and Non-federal Land Surface Water Comparisons	5-643
Table 5.3.6-2	Increase or Decrease of Stream Orders from the Land Exchange Proposed Action	5-644
Table 5.3.6-3	Watershed Riparian Connectivity Index Comparison	5-645
Table 5.3.6-4	Watershed Aquatic Connectivity Index Comparison	5-646
Table 5.3.6-5	Increase or Decrease of Stream Fish Assemblage for the Land Exchange Proposed Action	5-649
Table 5.3.6-6	Dominant Fish Species Present at Study Sites	5-650
Table 5.3.6-7	Increase or Decrease of Stream Fish Assemblage for the Land Exchange Proposed Action	5-650
Table 5.3.6-8	Stream Macroinvertebrate Assemblage Comparisons for the Land Exchange Proposed Action	5-651
Table 5.3.6-9	Ecoregion SGCN Species Comparisons for the Land Exchange Proposed Action	5-652
Table 5.3.6-10	Frontage of Waterways for Land Exchange Alternative B	5-653
Table 5.3.6-11	Increase or Decrease of Stream Orders from Land Exchange Alternative B	5-653
Table 5.3.6-12	Watershed Riparian Connectivity Index Comparison	5-654
Table 5.3.6-13	Watershed Aquatic Connectivity Index Comparison	5-654

Table 5.3.6-14	Increase or Decrease of Stream Fish Assemblage for Land Exchange Alternative B	5-655
Table 5.3.6-15	Stream Macroinvertebrate Assemblage Comparisons for Land Exchange Alternative B	5-655
Table 5.3.6-16	Ecoregion SGCN Species Comparisons for Land Exchange Alternative B	5-656
Table 5.3.10-1	Economic Value of Federal and Non-federal Lands (in 2012 dollars)	5-679
Table 5.3.11-1	Net Increase or Decrease of Recreation Opportunity Spectrum Classes	5-683
Table 5.3.11-2	Net Increase or Decrease of Scenic Integrity Objectives	5-683
Table 5.3.11-3	Recreation Opportunity Spectrum Classifications of Federal and Non-Federal Lands (Land Exchange Proposed Action)	5-691
Table 5.3.11-4	Scenic Integrity Objectives of Federal and Non-Federal Lands (Proposed Action)	5-699
Table 5.3.11-5	Recreation Opportunity Spectrum Class of Federal and Non-federal Lands (Land Exchange Alternative B)	5-703
Table 5.3.11-6	Scenic Integrity Objectives of Federal and Non-federal Lands (Land Exchange Alternative B)	5-707
Table 6.2-1	Actions Considered and Affected Resources in the Cumulative Effects Assessment	6-7
Table 6.2-2	Cumulative Effects on Partridge River Hydrology by Activity	6-22
Table 6.2-3	Existing Cumulative Effects on Embarrass River Hydrology by Activity	6-27
Table 6.2-4	Cumulative Sulfate Loadings to the Partridge River by Activity	6-30
Table 6.2-5	Cumulative Mercury Loadings to the Partridge River by Activity	6-31
Table 6.2-6	Cumulative Sulfate Loadings to the Embarrass River by Activity	6-32
Table 6.2-7	Cumulative Mercury Loadings to the Embarrass River by Activity	6-34
Table 6.2-8	Comparison of Future Conditions for Wetland and Deepwater Habitat Resources	6-36
Table 6.2-9	Pre-settlement Wetland and Water Resources by Watershed	6-38
Table 6.2-10	Existing Wetland and Water Resources by Watershed	6-39

Table 6.2-11	Future Wetland and Water Resources by Watershed under the NorthMet Project Proposed Action	6-41
Table 6.2-12	Future Wetland and Water Resources by Watershed under the NorthMet Project No Action Alternative	6-41
Table 6.2-13	Changes in Habitat Acreage between 1890 and 1990 by Ecological Subsection	6-46
Table 6.2-14	Preferred Habitat for State-listed ETSC/RFSS Plant Species and Most Likely Associated Habitat Types	6-47
Table 6.2-15	Potential Future Effects on ETSC or RFSS Plant Species Populations Occurring from Reasonably Foreseeable Activities	6-48
Table 6.2-16	Cumulative Effects on Wildlife Travel Corridors in the Mesabi Iron Range	6-57
Table 6.2-17	Results of Cumulative Class II NAAQS Modeling	6-75
Table 6.2-18	Results of Cumulative Class II PSD Increment Analysis	6-76
Table 6.2-19	Results of Cumulative Class I PSD PM10 Increment Analysis	6-77
Table 6.2-20	Maximum Potential SO2, NOx, and Particulate Emissions from the Proposed Projects in the Six-County Project Area CEAA in Comparison to Emission Reductions	6-83
Table 6.2-21	Greenhouse Gas Emissions	6-87
Table 6.2-22	Summary of Cumulative Inhalation Risks	6-88
Table 6.2-23	Summary of Socioeconomic Cumulative Effects	-100
Table 6.3-1	Potential Increase/Decrease of Management Area Allocations Occurring from the Cumulative Actions	-112
Table 6.3-2	Potential Increase/Decrease of Superior National Forest Boundary, Acreage, and Fragmentation Occurring from the Cumulative Actions	-113
Table 6.3-3	Potential Increase/Decrease of Water Resources Occurring from Cumulative Actions	-115
Table 6.3-4	Potential Increase/Decrease of Wetland Resources Occurring from Cumulative Actions	-117
Table 6.3-5	Potential Increase/Decrease of GAP Land Cover Types Occurring from Cumulative Actions	i-119

Table 6.3-6	Potential Increase/Decrease of Landscape Ecosystems Occurring from Cumulative Actions
Table 6.3-7	Potential Increase/Decrease of MBS Sites of Biodiversity Significance Occurring from Cumulative Actions
Table 6.3-8	Potential Increase/Decrease of Key Habitat Types Occurring from Cumulative Actions
Table 6.3-9	Potential Increase/Decrease of Suitable Habitat Types for Canada Lynx and Prey Species Occurring from Cumulative Actions
Table 6.3-10	Potential Increase/Decrease of Lynx Travel Corridors on the Federal Estate Resulting from the Land Exchange Proposed Action 6-126
Table 6.3-11	Potential Increase/Decrease of Surface Water Resources Occurring from Cumulative Actions
Table 6.3-12	Potential Increase/Decrease of Recreation Opportunity Spectrum Classifications Occurring from Cumulative Actions
Table 6.3-13	Potential Increase/Decrease of Scenic Integrity Objectives Classifications Occurring from Cumulative Actions
Table 7.2-1	Comparison of Environmental Consequences by Alternative
Table 8-1	Major Differences of Opinion

-Page Intentionally Left Blank-

LIST OF FIGURES

Figure 1-1	NorthMet Project and Land Exchange Area	1-3
Figure 1-2	Mesabi Iron Range Region	1-7
Figure 2.1-1	NorthMet Project and Land Exchange DEIS to SDEIS Development Process	2-1
Figure 3.2-1	NorthMet Project Area Surface Rights	3-9
Figure 3.2-2	NorthMet Project Material Flow	3-11
Figure 3.2-3	Mine Site Surface and Subsurface Rights	3-19
Figure 3.2-4	Existing Conditions at the Mine Site	3-21
Figure 3.2-5	Mine Site Plan – Year 1	3-23
Figure 3.2-6	Mine Site Plan – Year 2	3-25
Figure 3.2-7	Mine Site Plan – Year 11	3-27
Figure 3.2-8	Mine Site Plan – Year 20	3-29
Figure 3.2-9	Mine Site Plan – Long Term Closure	3-31
Figure 3.2-10	Schematic Geologic Cross Section and Stratigraphic Column at Mine Site	3-35
Figure 3.2-11	Conceptual Representation of the Category 1 Stockpile Containment System – Years 1-13	3-49
Figure 3.2-12	Water Management Schematic – Initial Years of Operations – Approximately Years 1-11	3-55
Figure 3.2-13	Water Management Schematic – Later Years of Operations – Approximately Years 11-20	3-57
Figure 3.2-14	Schematic Cross Sections of the Geotechnical Features at the Mine Site (Year 11 and Closure)	3-61
Figure 3.2-15	Conceptual Cross Section – Category 1 Stockpile Cover System	3-67
Figure 3.2-16	Conceptual Cross Section – Category 1 Stockpile Containment System – Long Term Closure Conditions	3-69
Figure 3.2-17	Water Management Schematic – Reclamation – Approximate Years 21-30	3-73

Figure 3.2-18	Water Management Schematic – Reclamation – Approximate Years 31-40	3-75
Figure 3.2-19	Water Management Schematic – Long Term Mechanical Treatment	3-77
Figure 3.2-20	Transportation and Utility Corridor	3-81
Figure 3.2-21	Side Dump Railroad Cars	3-85
Figure 3.2-22	Existing Conditions at the Plant Site	3-89
Figure 3.2-23	Plant Site Layout	3-93
Figure 3.2-24	Beneficiation Plant Process Flow Diagram	3-97
Figure 3.2-25	Schematic Cross Section of the Tailings Basin – Post Closure	3-105
Figure 3.2-26	Hydrometallurgical Plant Process Flow Diagram	3-109
Figure 3.2-27	Conceptual Plan View – Tailings Basin Groundwater Containment System	3-119
Figure 3.2-28	Conceptual Cross Section – Tailings Basin Groundwater Containment System	3-121
Figure 3.2-29	Plant Site Layout – Long Term Closure	3-125
Figure 3.2-30	Schematic Cross Section – Hydrometallurgical Residue Facility – Post Closure	3-133
Figure 3.2-31	Alternative Assessment Process	3-141
Figure 3.2-32	Development of Proposed Action and Alternatives for the NorthMet Project	3-145
Figure 3.3-1	Land Exchange Proposed Action Parcels	3-161
Figure 3.3-2	Land Exchange Proposed Action and Alternative B Parcels	3-167
Figure 3.3-3	Ownership of Tracts 1, 2 and 3	3-169
Figure 3.3-4	Ownership of Tracts 3, 4 and 5	3-171
Figure 4.2.1-1	Area Municipalities	4-7
Figure 4.2.2-1	Watersheds, Streams and Data Collection Sites	4-21
Figure 4.2.2-2	MDNR Designated Public Waters	4-27
Figure 4.2.2-3	Sulfate Sampling Locations	4-35

Figure 4.2.2-4	Additional 2009 Baseline Monitoring Stations for Sulfate and Mercury	4-39
Figure 4.2.2-5	Estimated Existing Groundwater Contours – Mine Site	4-49
Figure 4.2.2-6	Estimated Existing Groundwater Contours – Plant Site	4-51
Figure 4.2.2-7	Groundwater Sampling at the Mine Site	4-55
Figure 4.2.2-8	Surface Water Monitoring and Modeling Locations within the Partridge River Watershed	4-63
Figure 4.2.2-9	Past and Current NPDES Discharges into the Partridge and Embarrass Rivers	4-69
Figure 4.2.2-10	NPDES Discharges Colby Lake and Whitewater Reservoir Area	4-83
Figure 4.2.2-11	Seeps and Associated Flow Structures at Existing LTVSMC Tailings Basin	4-91
Figure 4.2.2-12	Depth to Bedrock at Tailings Basin Area	4-97
Figure 4.2.2-13	Monitoring Locations Near Existing Tailings Basin	. 4-101
Figure 4.2.2-14	Residential Well Locations Between the Tailings Basin and the Embarrass River	. 4-105
Figure 4.2.2-15	Surface Water Monitoring and Modeling Locations within the Embarrass River Watershed	. 4-119
Figure 4.2.3-1	Wetland Community Types Overview	. 4-137
Figure 4.2.3-2	Wetland Community Types Mine Site, Federal Lands and Area 1	. 4-141
Figure 4.2.3-3	Wetland Community Types Mine Site	. 4-143
Figure 4.2.3-4	Wetland Community Types Transportation and Utility Corridor	. 4-145
Figure 4.2.3-5	Wetland Community Types Area 2 and Plant Site	. 4-159
Figure 4.2.3-6	Wetland Community Types Plant Site	. 4-161
Figure 4.2.3-7	Wetland Community Types Colby Lake Water Pipeline Corridor	. 4-163
Figure 4.2.4-1	Land Cover/Habitat Types – Federal Lands and Mine Site	. 4-171
Figure 4.2.4-2	ETSC Vegetation – NorthMet Project Area	. 4-177
Figure 4.2.4-3	Management Indicator Habitat Types and Age Classes – Federal Lands and Mine Site	. 4-189
Figure 4.2.4-4	Land Cover/Habitat Types – Plant Site	. 4-195

Figure 4.2.6-1	Monitoring Sample Site Locations	4-217
Figure 4.2.6-2	Sampling Locations within the Partridge River and Embarrass River Watersheds	4-223
Figure 4.2.6-3	Freshwater Mussel Sampling Site Locations	4-231
Figure 4.2.7-1	Wind Frequency Distribution Plot for Hibbing, Minnesota (2001-2005)	4-249
Figure 4.2.8-1	Nearest Noise Sensitive Receptors to the NorthMet Project Area	4-257
Figure 4.2.9-1	Cultural Resources Analysis – Area of Potential Effect	4-265
Figure 4.2.9-2	Cultural Resources Analysis – Area of Direct Effect	4-267
Figure 4.2.9-3	Cultural Resources Analysis – Air Quality Area of Potential Effect	4-271
Figure 4.2.9-4	Cultural Resources Analysis – Fugitive Dust Area of Potential Effect	4-273
Figure 4.2.9-5	Cultural Resources Analysis – Groundwater Quality Area of Potential Effect	4-275
Figure 4.2.9-6	Cultural Resources Analysis – Groundwater Drawdown Area of Potential Effect.	4-277
Figure 4.2.9-7	Cultural Resources Analysis – Visual Area of Potential Effect	4-281
Figure 4.2.9-8	Cultural Resources Analysis – Previous Investigations	4-293
Figure 4.2.10-1	Socioeconomic Study Area	4-317
Figure 4.2.11-1	Representative Visual Receptors	4-347
Figure 4.2.11-2	Mine Site and Plant Site, as Viewed from Skibo Vista Scenic Overlook	4-349
Figure 4.2.12-1	Wilderness and Special Designation Areas	4-355
Figure 4.2.14-1	Mine Site Geotechnical Investigation Locations	4-365
Figure 4.2.14-2	Existing LTVSMC Tailings Basin Layout	4-369
Figure 4.2.14-3	Tailings Basin – Cross Section F (Existing Conditions)	4-373
Figure 4.2.14-4	Hydrometallurgical Residue Facility – Geotechnical Investigation Locations	4-379
Figure 4.2.14-5	Hydrometallurgical Residue Facility – Cross Sections A and B (Existing Conditions)	4-381

Figure 4.3.1-1	Ownership of Federal Lands	4-389
Figure 4.3.1-2	Ownership of Tracts 1, 2 and 3	4-393
Figure 4.3.1-3	Ownership of Tracts 3, 4 and 5	4-399
Figure 4.3.1-4	Ownership of Tract 3	4-405
Figure 4.3.2-1	Surface Water Tract 1 – Hay Lakes Lands	4-413
Figure 4.3.2-2	Surface Water Tract 2 – Lake County South Lands	4-415
Figure 4.3.2-3	Surface Water Tract 2 – Lake County North Lands and Tract 3 – Wolf Lands 1	4-417
Figure 4.3.2-4	Surface Water Tract 3 – Wolf Lands 2	4-419
Figure 4.3.2-5	Surface Water Tract 3 – Wolf Lands 3	4-421
Figure 4.3.2-6	Surface Water Tract 3 – Wolf Lands 4	4-423
Figure 4.3.2-7	Surface Water Tract 4 – Hunting Club Lands	4-425
Figure 4.3.2-8	Surface Water Tract 5 – McFarland Lake Lands	4-427
Figure 4.3.3-1	Wetland Community Types Federal Lands and Alternative B: Smaller Federal Parcel	4-431
Figure 4.3.3-2	Floodplain Boundaries Federal Lands and Alternative B: Smaller Federal Parcel	4-437
Figure 4.3.3-3	Wetland Community Types Tract 1, Tract 2 and Tract 3	4-443
Figure 4.3.3-4	Wetland Community Types Tract 3, Tract 4 and Tract 5	4-445
Figure 4.3.3-5	Floodplain Boundaries Tract 1 and Tract 3	4-453
Figure 4.3.4-1	Management Indicator Habitat Types and Age Classes – Tracts 1, 2, and 3	
Figure 4.3.4-2	Management Indicator Habitat Types and Age Classes – Tracts 3, 4, and 5	4-495
Figure 4.3.4-3	ETSC Vegetation – Tract 5 – McFarland Lake Lands	4-507
Figure 4.3.6-1	Monitoring Sample Site Locations Tract 1 – Hay Lake Lands	4-523
Figure 4.3.6-2	Creek Heelsplitter Locations Near Tract 1 – Hay Lake Lands	4-529
Figure 4.3.6-3	Monitoring Sample Site Locations Tract 3 – Wolf Lands	4-533
Figure 4.3.6-4	Ecological Regions Tract 2 – Lake County and Tract 3 – Wolf Lands	4-537

Figure 4.3.6-5	Creek Heelsplitter Locations Near Tract 3 – Wolf Lands 4	4-539
Figure 4.3.6-6	Ecological Regions Tract 5 – McFarland Lake Lands	4-543
Figure 4.3.8-1	Nearest Noise Sensitive Receptors to the Non-federal Lands	4-551
Figure 4.3.11-1	The Hay Lake Tract: Looking North along the Pike River	4-562
Figure 4.3.11-2	Looking East from the Northwest Corner of Lake County North, Southern Sub-Parcel	4-563
Figure 4.3.11-3	The Wolf Lands, Looking Northwest along Coyote Creek	4-564
Figure 4.3.11-4	Wetland on the Hunting Club Lands Parcel	4-565
Figure 4.3.11-5	McFarland Lake from the McFarland Lake Tract	4-566
Figure 5.2.2-1	MPCA Staff-Recommended Wild Rice Waters	5-23
Figure 5.2.2-2	Mine Site Local MODFLOW Model – River Reaches	5-29
Figure 5.2.2-3	Mine Site Local MODFLOW Model – Groundwater Containment System Features	5-31
Figure 5.2.2-4	Mine Site Surficial Groundwater Flowpaths	5-35
Figure 5.2.2-5	Plant Site MODFLOW Model – Extent and Boundary Conditions	5-39
Figure 5.2.2-6	Plant Site Surface and Groundwater Flowpaths and Final Tailings Design	5-43
Figure 5.2.2-7	Mine Site GoldSim Flow Chart	5-49
Figure 5.2.2-8	Comparison of NorthMet Project Waste Rock Sulfide Sulfur Concentrations with Other Mines	5-53
Figure 5.2.2-9	Antimony Concentrations in the West Pit Surficial Flowpath at the Groundwater Evaluation Location for a 1,000-Year Model Run	5-57
Figure 5.2.2-10	Plant Site GoldSim Flow Chart	5-59
Figure 5.2.2-11	Plant Site Contaminant Source Areas	5-65
Figure 5.2.2-12	Cumulative Probability of a Hypothetical Model Input	5-71
Figure 5.2.2-13	Cumulative Probability of Concentration at a Simulated Time	5-73
Figure 5.2.2-14	Time Series Plot for Different Cumulative Probabilities	5-75
Figure 5.2.2-15	Mine Site Plan – Long Term Closure	5-85
Figure 5.2.2-16	Features to be Removed/Reclaimed at Mine Closure	5-87
Figure 5.2.2-17	Mine Site Contaminant Source Areas	5-95

Figure 5.2.2-18	Sulfate Concentrations in East Pit Backfill Based on GoldSim Deterministic Run with P50 Inputs	5-103
Figure 5.2.2-19	P50 Cobalt Concentrations in Surficial Groundwater Flowpaths at the Partridge River Based on GoldSim Probabilistic Simulation	5-104
Figure 5.2.2-20	Predicted Maximum P90 Concentrations of Each Solute versus Evaluation Criteria, Mine Site Surficial Groundwater Evaluation Locations	5-107
Figure 5.2.2-21	Maximum Relative Concentration Changes (NorthMet Project Proposed Action/Continuation of Existing Conditions Scenario), Maximum P90 Values, Over the 200-year Simulation Period at All Surficial Aquifer Evaluation Locations	5-108
Figure 5.2.2-22	Partridge River Subwatersheds and Surface Water Elevation Locations	5-115
Figure 5.2.2-23	Annual Maximum Aluminum Concentrations Along the Groundwater Flowpath from the East Pit – Category 2/3 Stockpile	5-136
Figure 5.2.2-24	Monthly Aluminum Concentrations at SW-004	5-137
Figure 5.2.2-25	Simulated Distribution of Aluminum Concentrations in Surface Runoff	5-138
Figure 5.2.2-26	Simulated Distribution of Aluminum Concentrations in Groundwater	5-139
Figure 5.2.2-27	Maximum Annual Sulfate Concentration Percentiles at SW-005	5-140
Figure 5.2.2-28	Likelihood that Monthly Sulfate Concentration at SW-005 Would Exceed 10 mg/L, Mine Years 120 to 130	5-142
Figure 5.2.2-29	Percent Change in Sulfate Concentration when Exceeding 10 mg/L, Mine Years 120 to 130	5-143
Figure 5.2.2-30	Colby Lake Annual Maximum Aluminum Concentrations	5-146
Figure 5.2.2-31	Colby Lake Annual Maximum Iron Concentration	5-147
Figure 5.2.2-32	Colby Lake Annual Maximum Manganese Concentrations	5-148
Figure 5.2.2-33	Annual Maximum Manganese Concentration in the West Pit Flowpath	5-149
Figure 5.2.2-34	Annual Maximum Iron Concentration in the West Pit Flowpath	5-150
Figure 5.2.2-35	Colby Lake Annual Maximum Arsenic Concentrations	5-151

Figure 5.2.2-36	Partridge River SW-006 Annual Maximum Arsenic Concentrations	5-152
Figure 5.2.2-37	Maximum P90 Concentration of Cobalt in the West Pit over 200 Years	5-155
Figure 5.2.2-38	Maximum P90 Concentration of Nickel in the West Pit over 200 Years	5-156
Figure 5.2.2-39	Maximum P90 Concentration of Sulfate in the West Pit over 200 Years	5-157
Figure 5.2.2-40	Plant Site Water Management Timeline with Mechanical Treatment	5-163
Figure 5.2.2-41a	Predicted P50 Lead Concentrations at the Evaluation Locations Based on the GoldSim Probabilistic Simulation for the Plant Site	5-166
Figure 5.2.2-41b	Predicted P90 Lead Concentrations at the Locations of Groundwater Release to Surface Water Based on the GoldSim Probabilistic Simulation for the Plant Site	5-167
Figure 5.2.2-42	Predicted Groundwater Concentration Ranges (Minimum 10th to Maximum 90th Percentile) at All Plant Site Surficial Groundwater Evaluation Locations Based on the GoldSim Probabilistic Model	5-171
Figure 5.2.2-43	Maximum Relative Concentration Changes (NorthMet Project Proposed Action/Continuation of Existing Conditions Scenario) at Surficial Aquifer Evaluation Locations, Entire Model Period	5-172
Figure 5.2.2-44	Total Dissolved Solids Estimates in the West Flowpath at the Property Boundary	5-173
Figure 5.2.2-45	Mud Lake Creek Headwaters Diversion	5-175
Figure 5.2.2-46	Average Annual Embarrass River and Tributary Flows in the NorthMet Project Proposed Action Model (Percent of Continuation of Existing Conditions Scenario)	5-180
Figure 5.2.2-47	Sulfate Load Calculated Along the Embarrass River (2010-2011)	5-194
Figure 5.2.2-48	Chloride Load Calculated Along the Embarrass River (2010-2011)	5-195
Figure 5.2.2-49	Annual Maximum Sulfate Concentrations in the Embarrass River at PM-13	5-196
Figure 5.2.2-50	Range of Annual Sulfate Loading Rates to PM-11; Continuation of Existing Conditions Scenario vs. NorthMet Project Proposed Action	5-197

Figure 5.2.2-51	Range of Annual Sulfate Loading Rates to PM-19; Continuation of Existing Conditions Scenario vs. NorthMet Project Proposed Action	5-198
Figure 5.2.2-52	Range of Annual Sulfate Loading Rates to MLC-2; Continuation of Existing Conditions Scenario vs. NorthMet Project Proposed Action	5-199
Figure 5.2.2-53	Annual Maximum Sulfate Concentrations at PM-13; Continuation of Existing Conditions Scenario vs. NorthMet Project Proposed Action	5-200
Figure 5.2.2-54	Annual Maximum Sulfate Concentration at PM-12.2	5-201
Figure 5.2.2-55	Range of Annual Sulfate Loading Rates to the Embarrass River at PM-13 – Continuation of Existing Conditions Scenario versus NorthMet Project Proposed Action	5-209
Figure 5.2.3-1	Mine Site Wetlands and Direct Wetland Effects	5-231
Figure 5.2.3-2	Transportation and Utility Corridor Wetlands and Direct Wetland Effects	5-235
Figure 5.2.3-3	Wetlands within 500 ft Increments at the Mine Site	5-237
Figure 5.2.3-4	Wetlands Potentially Indirectly Affected by Change in Watershed Area	5-241
Figure 5.2.3-5	Wetlands Located within the Four Analog Zones at the Mine Site	5-245
Figure 5.2.3-6	Wetlands Crossing Analog Zones – 0-10,000 feet of Edge of Mine Pits	5-249
Figure 5.2.3-7	Wetlands Crossing Analog Zones – 0-1,000 feet of Edge of Mine Pits	5-251
Figure 5.2.3-8	Wetlands Crossing Analog Zones – >1,000-2,000 feet of Edge of Mine Pits	5-253
Figure 5.2.3-9	Wetlands Crossing Analog Zones – >2,000-3,500 feet of Edge of Mine Pits	5-255
Figure 5.2.3-10	Wetlands Crossing Analog Zones – >3,500-10,000 feet of Edge of Mine Pits	5-257
Figure 5.2.3-11	Wetlands Within Analog Zones – 0-10,000 feet of Edge of Mine Pits	5-261

Figure 5.2.3-12	Wetlands Within Analog Zones – 0-1,000 feet of Edge of Mine Pits	5-263
Figure 5.2.3-13	Wetlands Within Analog Zones – >1,000-2,000 feet of Edge of Mine Pits	5-265
Figure 5.2.3-14	Wetlands Within Analog Zones – >2,000-3,500 feet of Edge of Mine Pits	5-267
Figure 5.2.3-15	Wetlands Within Analog Zones – >3,500-10,000 feet of Edge of Mine Pits	5-269
Figure 5.2.3-16	Model-Estimated Dust Deposition Compared to Background Effects Level – Mine Site	5-279
Figure 5.2.3-17	Model-Estimated Metal Deposition Compared to Background Effects Level – Mine Site	5-281
Figure 5.2.3-18	Tailing Basin Wetlands and Direct Wetland Effects	5-287
Figure 5.2.3-19	Hydrometallurgical Residue Facility Wetlands and Direct Wetland Effects	5-289
Figure 5.2.3-20	Wetlands within 500 ft Increments at the Plant Site	5-293
Figure 5.2.3-21	Wetlands within Groundwater Flowpaths at the Plant Site	5-295
Figure 5.2.3-22	Model-Estimated Dust Deposition Compared to Background Effects Level – Plant Site	5-303
Figure 5.2.3-23	Model-Estimated Metal Deposition Compared to Background Effects Level – Plant Site	5-305
Figure 5.2.6-1	Partridge and Embarrass River Watershed Surface Water Evaluation Locations	5-383
Figure 5.2.8-1	Predicted Ground Vibration Contours from Blasting at the Mine Site	5-455
Figure 5.2.8-2	Predicted Airblast Contours from Blasting at the Mine Site	5-459
Figure 5.2.8-3	Predicted Daytime L50 Noise Contours at Closest Receptors (Includes Baseline L50 Levels)	5-465
Figure 5.2.8-4	Predicted Daytime L10 Noise Contours at Closest Receptors (Includes Baseline L10 Levels)	5-467
Figure 5.2.8-5	Predicted Nighttime L50 Noise Contours at Closest Receptors (Includes Baseline L50 Levels)	5-469

Figure 5.2.8-6	Predicted Nighttime L10 Noise Contours at Closest Receptors (Includes Baseline L10 Levels)	5-471
Figure 5.2.11-1	Photo Simulation – View of Mine Site from Skibo Overlook	5-515
Figure 5.2.11-2	Photo Simulation – View of Plant Site from Skibo Overlook	5-519
Figure 5.2.14-1	Mine Site Plan – Year 11	5-547
Figure 5.2.14-2	Cross Sections of the Proposed Category 1 Stockpile	5-551
Figure 5.2.14-3	Cross Sections of the Proposed Category 2/3 and 4 Stockpiles at Maximum Extent	5-553
Figure 5.2.14-4	Proposed Plant Site Layout	5-559
Figure 5.2.14-5	Cross Section F of the Tailings Basin at Maximum Extent	5-563
Figure 5.2.14-6	Cross Sections A and B of the Hydrometallurgical Residue Facility at Year 20	5-573
Figure 5.3.1-1	Tracts 1, 2 and 3 Roads	5-581
Figure 5.3.1-2	Tracts 3, 4 and 5 Roads	5-583
Figure 5.3.6-1	Federal and Non-federal Lands Aquatic Study Area	5-647
Figure 5.3.8-1	Predicted Daytime L50 Noise Contours at Non-federal Tracts (Includes Baseline L50 Levels)	5-663
Figure 5.3.8-2	Predicted Daytime L10 Noise Contours at Non-federal Tracts (Includes Baseline L10 Levels)	5-665
Figure 5.3.8-3	Predicted Nighttime L50 Noise Contours at Non-federal Tracts (Includes Baseline L50 Levels)	5-667
Figure 5.3.8-4	Predicted Nighttime L10 Noise Contours at Non-federal Tracts (Includes Baseline L10 Levels)	5-669
Figure 5.3.11-1	Recreation Opportunity Spectrum Federal Lands	5-685
Figure 5.3.11-2	Recreation Opportunity Spectrum Tracts 1, 2 and 3	5-687
Figure 5.3.11-3	Recreation Opportunity Spectrum Tracts 3, 4 and 5	5-689
Figure 5.3.11-4	Scenic Integrity Objective Federal Lands	5-693
Figure 5.3.11-5	Scenic Integrity Objective Tracts 1, 2 and 3	5-695
Figure 5.3.11-6	Scenic Integrity Objective Tracts 3, 4 and 5	5-697

Figure 5.3.11-7	Recreation Opportunity Spectrum Alternative B: Smaller Federal Parcel
Figure 5.3.11-8	Scenic Integrity Objective Alternative B: Smaller Federal Parcel 5-70
Figure 6.2.2-1	Cumulative Effects Assessment Areas 6-
Figure 6.2.3-1	Water Resources Cumulative Effects Assessment Areas 6-1
Figure 6.2.3-2	North-South Wildlife Travel Corridors
Figure 6.2.3-3	Ambient Air Boundary – EIS Cumulative NAAQS/Increment Receptor Grid NorthMet Plant Site EIS Class II Modeling Report 6-6
Figure 6.2.3-4	1 Hour NO ₂ Cumulative Effect NAAQS Results
Figure 6.2.3-5	1 Hour SO ₂ Cumulative Effect NAAQS Results
Figure 6.2.3-6	Socioeconomics Cumulative Effects Assessment Area
Figure 6.3.2-1	Parcels Involved in Proposed USFS Land Exchange 6-10

LIST OF ACRONYMS/ABBREVIATIONS

(%EPT) Percent ephemeroptera, plecoptera, or tricoptera

(°F) degrees Fahrenheit

 $(\mu g/L)$ microgram(s) per liter

(μg/m³) microgram(s) per cubic meter

(µm) micrometer(s)

(ACHP) Advisory Council on Historic Preservation

(ACI) Aquatic Connectivity Index

(ACM) Asbestos-Containing Material

(AERA) Air Emissions Risk Analysis

(AERMOD) American Meteorological

Society/USEPA Regulatory Model

(amsl) above mean sea level

(ANFO) Ammonium Nitrate Fuel Oil Mixture

(AOC) Area of Concern

(APE) Area of Potential Effect

(AQRV) Air Quality Related Value

(AST) Aboveground Storage Tank

(ASTM) American Society for Testing and Materials

(Au/PGE) gold and platinum group elements

(AWMP) Adaptive Water Management Plan

(BACT) Best Available Control Technology

(BART) Best Available Retrofit Technology

(Barr) Barr Engineering

(BBER) Bureau of Business and Economic Research

(BBLV) Beaver Bay to Lake Vermilion

(bgs) below ground surface

(Bois Forte) Bois Forte Band of Chippewa

(BP) before present

(BWCAW) Boundary Waters Canoe Area Wilderness

(CAA) Clean Air Act

(CAIR) Clean Air Interstate Rule

(CALPUFF) California Puff Model

(CCP) Coordination and Communication Plan

(CEAA) Cumulative Effects Assessment Area

(CEQ) United States Council on Environmental Quality

(CERCLA) Comprehensive Environmental Response,

Compensation, and Liability Act

(CFE) chemical for evaluation

(CFR) Code of Federal Regulations

(cfs) cubic feet per second

(CH₄) methane

(cm/sec) centimeter(s) per second

(CO) carbon monoxide

(CO₂) carbon dioxide

(CO_{2e}) carbon dioxide equivalents

(CPS) Central Pumping Station

(CPT) Cone Penetrometer Testing

(CR) County Road

(cRNA) candidate Research Natural Area

(CSAPR) Cross State Air Pollution Rule

(CWA) Clean Water Act

(DA) Department of the Army

(DAT) Deposition Analysis Threshold

(dB) decibel(s)

(dBA) A-weighted decibel(s)

(dbh) diameter at breast height

(dBL) linear-weighted decibel(s)

(DDT) dichlorodiphenyltrichloroethane

(DEIS) Draft Environmental Impact

Statement - October 2009

(DOT) Department of Transportation

(DRI) direct reduced iron

(dv) deciview

(e.g.) for example

(EAW) Environmental Assessment

Worksheet

(ECS) Ecological Classification System

(EDR) Environmental Data Resources, Inc.

(EIS) Environmental Impact Statement

(EJ) Environmental Justice

(ELT) Ecological Land Type

(EO) Executive Order

(EPCRA) Emergency Planning and

Community Right-to-Know Act

(EQB) Environmental Quality Board

(ERC) Emergency Response Commission

(ERM) Environmental Resources

Management

(ESA) Endangered Species Act

(ESSA) Effective Stress Stability Analysis

(ETSC) Endangered, Threatened, and Special Concern

(FEIS) Final Environmental Impact Statement

(FEMA) Federal Emergency Management Agency

(FLAG) Federal Land Managers' Air Quality Related Values Work Group

(FLM) Federal Land Manager

(FLPMA) Federal Land Policy and Management Act (Fond du Lac) Fond du Lac Band of Lake Superior

(Folia du Lac) Folia du Lac Baild of Lake Superior Chippewa

(Forest Plan) 2004 Superior National Forest Land and Resource Management Plan

(FR) Federal Register

(FSH) Forest Service Handbook

(ft) foot or feet

(ft/day) feet per day

(ft/ft) feet per foot

(ft/sec) feet per second

(ft²) square feet

(FTE) Full-time Equivalent

(GAP) Gap Analysis Program

(GHG) greenhouse gas

(GIS) Geographic Information System

(GLIFWC) Great Lakes Indian Fish & Wildlife

Commission

(GLO) General Land Office

(g/m²/yr) grams per square meter per year

(gpm) gallon(s) per minute

(GPS) Global Positioning System

(gpy) gallon(s) per year

(gr/dscf) grains per dry standard cubic foot

(Grand Portage) Grand Portage Band of Lake Superior Chippewa

(H₂S) hydrogen sulfide

(HAP) Hazardous Air Pollutant

(HBI) Hilsenhoff Biotic Index

(HEPA) High-efficiency Particulate Air

(Hg(p)) particle-bound mercury

(Hg) mercury

(Hg⁺²) oxidized mercury

(HI) Hazard Index

(hp) horsepower

(HRL) Health Risk Limit

(HUC) Hydrologic Unit Code

(Hz) Hertz

(i.e.) that is

(IBI) Index of Biological Integrity

(IMPROVE) Interagency Monitoring of

Protected Visual Environments

(in/s) inch(es) per second

(IPCC) Intergovernmental Panel on Climate Change

(ISO) International Standards Organization

(kg) kilogram(s)

(kg/ha/yr) kilogram(s) per hectare per year

(kg/m²) kilogram(s) per square meter

(km) kilometer

(ksf) kip(s) per square foot

(L10) noise level exceeding standard for 10%

of the monitored time

(L50) noise level exceeding standard for 50%

of the monitored time

(LAU) Lynx Analysis Unit

(lb/MMBTU) pound(s) per million British

thermal units

(lbs/yr) pounds per year

(LDPE) low-density polyethylene

(Leq) equivalent noise levels

(LLDPE) linear low-density polyethylene

(LQ) location quotient

(LTA) Land Type Association

(LTVSMC) LTV Steel Mining Company

(MAAQS) Minnesota Ambient Air Quality Standards

(MACT) Maximum Achievable Control Technology

(MBS) Minnesota Biological Survey

(MCL) Maximum Contaminant Level

(MCWCS) Minnesota Comprehensive

Wildlife Conservation Strategy

(MDH) Minnesota Department of Health

(MDNR) Minnesota Department of Natural Resources

(MDO) major difference of opinion

(MeHg) methylmercury

(MEPA) Minnesota Environmental Policy

(MEQB) Minnesota Environmental Quality

(mg/kg) milligram(s) per kilogram

(mg/L) milligram(s) per liter

(MGD) million gallons per day

(MIBC/DF250) methyl isobutyl carbinol and polyglycol ether

(MIH) Management Indicator Habitat

(mm) millimeter(s)

(mm/s) millimeter(s) per second

(MMBTU) 1 million British thermal units

(MN-fiber) Minnesota regulated fiber

(MnRAM) Minnesota Routine Assessment Method

(MOA) Memorandum of Agreement

(MODFLOW) groundwater model

(MOU) Memorandum of Understanding

(MPCA) Minnesota Pollution Control Agency

(m/s) meter(s) per second

(MSDS) Material Safety Data Sheet

(MSHA) Mine Safety and Health Act

(mtpy) metric ton(s) per year

(NA) not applicable

(NAAOS) National Ambient Air Quality Standards

(NAC) Noise Area Classification

(NAICS) North American Industrial Classification System

(NEPA) National Environmental Policy Act

(NESHAP) National Emission Standards for

Hazardous Air Pollutants

(NFS) National Forest System

(ng/L) nanogram(s) per liter

(NHFEU) National Hierarchy Framework of Ecological Units

(NHIS) Natural Heritage Information System

(NHPA) National Historic Preservation Act

(NIOSH) National Institute for Occupational Safety and Health

(NO₂) nitrogen dioxide

(NOI) Notice of Intent

(NO_x) nitrogen oxides

(NPDES) National Pollutant Discharge Elimination System

(NRCS) Natural Resources Conservation Service

(NRHP) National Register of Historic Places

(NSPS) New Source Performance Standards

(NWI) National Wetlands Inventory

(O₃) ozone

(OSHA) Occupational Safety and Health Administration

(PAX) potassium amyl xanthate

(Pb) lead

(PCB) polychlorinated biphenyl

(PGE) platinum group element

(Phase I ESA) Phase I Environmental Site Assessment

(PM) particulate matter

(PM₁₀) particulate matter up to 10

micrometers in diameter

(PM_{2.5}) particulate matter up to 2.5

micrometers in diameter

(PMC) coarse particulate matter

(pMCL) Primary Maximum Contaminant

Level

(PMF) fine particulate matter

(PMP) probable maximum precipitation

(PolyMet) PolyMet Mining Corporation

(POTW) Publically Owned Treatment Works

(ppm) part(s) per million

(PPV) peak particle velocity

(PRB) permeable reactive barrier

(PSB) permeable sorptive barrier

(PSD) Prevention of Significant

Deterioration

(psig) pounds per square inch gauge

(QHEI) Qualitative Habitat Evaluation Index

(RCI) Riparian Connectivity Index

(REL) reference exposure level

(RFSS) Regional Forester Sensitive Species

(RGU) Responsible Governmental Unit

(RME-OSW) reasonable maximum exposed

off-site worker

(RNA) Research Natural Area

(RO) reverse osmosis

(ROD) Record of Decision

(ROS) Recreation Opportunity Spectrum

(ROW) right-of-way

(SAP) Sampling and Analysis Plan

(SDD) Scoping Decision Document

(SDEIS) Supplemental Draft Environmental

Impact Statement

(SDS) State Disposal System

(SGCN) Species of Greatest Conservation Need

(SHPO) State Historic Preservation Office

(SIC) Standard Industrial Classification

(SIL) Significant Impact Limit

(SIO) Scenic Integrity Objective

(SIP) State Implementation Plan

(sMCL) Secondary Maximum Contaminant Level

(SNA) Scientific and Natural Area

(SO₂) sulfur dioxide

(SO₄) sulfate

(SPCC) Spill Prevention, Control, and

Countermeasure

(stpd) standard ton(s) per day

(stpy) standard ton(s) per year

(S) sulfur

(SVOC) Semi-volatile Organic Compound

(SWPPP) Storm Water Pollution Prevention Plan

(TBD) to be determined

(TCP) Traditional Cultural Property

(TDS) Total Dissolved Solids

(106 Group) The 106 Group Ltd.

(the Bands) Bois Forte Band of Chippewa, Grand Portage Band of Lake Superior Chippewa, and the Fond du Lac Band of Lake Superior Chippewa

(THPO) Tribal Historic Preservation Office

(TMDL) Total Maximum Daily Load

(tpd) ton(s) per day

(TPPP) Toxic Pollution Prevention Plan

(tpy) ton(s) per year

(Tract 1) Hay Lake Lands

(Tract 2) Lake County Lands

(Tract 3) Wolf Lands

(Tract 4) Hunting Club Lands

(Tract 5) McFarland Lake Lands

(TRI) Toxics Release Inventory

(TSI) Trophic Status Index

(TSP) total suspended particulates

(TWP) Treated Water Pipeline

(U.S. Steel) United States Steel Corporation

(UBA) Unique Biological Area

(UMD) University of Minnesota Duluth

(USACE) United States Army Corps of Engineers

(USC) United States Code

(USDA) United States Department of Agriculture

(USEPA) United States Environmental Protection Agency

(USFS) United States Forest Service

(USFWS) United States Fish and Wildlife Service

(USGS) United States Geological Survey

(USSA) Undrained Strength Stability Analysis

(USSR) Undrained Shear Strength Ratio

(UST) Underground Storage Tank

(VIC) Voluntary Investigation and Cleanup

(VOC) Volatile Organic Compound

(WCA) Wetland Conservation Act

(WWTF) Wastewater Treatment Facility

(WWTP) Wastewater Treatment Plant

(WQBEL) water quality based effluent limit

(XP-SWMM) surface water model

GLOSSARY

1854 Treaty Authority: An inter-tribal natural resource management agency that manages the off-reservation hunting, fishing, and gathering rights of the Grand Portage and Bois Forte Bands of the Lake Superior Chippewa in the territory ceded under the Treaty of 1854.

1854 Treaty of La Pointe: In 1854, the Chippewa of Lake Superior entered into a treaty with the United States whereby the Chippewa ceded to the United States ownership of their lands in northeastern Minnesota. These lands are generally known as the "1854 ceded territory." Article 11 of the 1854 Treaty provides, "...And such of them as reside in the territory hereby ceded, shall have the right to hunt and fish therein, until otherwise ordered by the President." The Chippewa of Lake Superior who reside in the ceded territory are the Fond du Lac, Grand Portage, and Bois Forte Bands.

Acid rock drainage: Produced by the oxidation of sulfide minerals, chiefly iron pyrite disulfide (FeS₂). This is a natural chemical reaction which can proceed when minerals are exposed to air and water. Acidic drainage is found around the world, as a result of both naturally occurring processes and activities associated with land disturbances, such as highway construction and mining where acid-forming minerals are exposed to air. These acidic conditions can cause metals in geologic materials to dissolve, which can lead to impairment of water quality when acidic and metal-laden discharges enter waters used by terrestrial and aquatic organisms.

Ad valorem tax: A tax based on the value to real estate or personal property. Municipal ad valorem taxes are also known as "property taxes."

Adverse effect (for cultural resources): A significant alteration to the qualifying characteristics of a historic property included in or eligible for inclusion in the National Register.

Adverse effect: A harmful or undesired effect from the proposed project on the environment.

AERMOD air dispersion model: The United States Environmental Protection Agency (USEPA)-approved model designed to predict short-range (up to 50 kilometers) dispersion of air pollutant emissions from stationary industrial sources.

Air dispersion model: A computer program that incorporates a series of mathematical equations used to predict downwind concentrations in the ambient air resulting from emissions of a pollutant. Inputs to a dispersion model include the emission rate; characteristics of the emission release such as stack height, exhaust temperature, and flow rate; and atmospheric dispersion parameters such as wind speed and direction, air temperature, atmospheric stability, and height of the mixed layer.

Airblast overpressure: A transient air pressure, such as the shock wave from an explosion, that is greater than the surrounding atmospheric pressure.

Ambient air quality: The quality of the portion of the atmosphere, external to buildings, to which the public has general access.

Ammonium nitrate fuel oil (ANFO): Primary blasting agent used in open-pit mining; a mixture of solid ammonium nitrate and liquid fuel oil.

Amphibole: A class of silicate minerals containing iron and magnesium.

Anthropogenic: Relating to or resulting from the influence of human beings on nature.

Aquatic biota: Collective term describing the organisms living in or depending on the aquatic environment.

Aquifer: A subsurface saturated rock unit or formation of sufficient permeability to transmit groundwater and yield usable quantities of water to wells and springs.

Archaeological site: The physical remains of any area of human activity, generally greater than 50 years of age, for which a boundary can be established. Examples of such resources could include domestic/habitation sites, industrial sites, earthworks, mounds, quarries, canals, roads, etc. Under the general definition, a broad range of site types would qualify as archaeological sites without the identification of any artifacts.

Archaic period: A cultural period circa 9,000 to 3,000 years ago, or 7,000 to 1,000 B.C.; its characteristic features included semi-permanent seasonal camps, atlatls and bannerstones, deer hunting, some copper tools, and the first long-distance trade.

Area of Potential Effect (APE): The geographic region in which a historic or cultural property may be impacted as a result of the construction and operation of the NorthMet Project Proposed Action or alternatives.

Attainment: Air quality in the locality that meets the established standards.

Autoclave: A mineral processing pressure vessel for conducting chemical reactions such as sulfide mineral oxidation and leaching of metals.

Batholith: A large emplacement of igneous intrusive rock that forms from cooled magma deep in the earth's crust.

Bedrock isopach map: A map of the bedrock thickness within a tabular unit or stratum, usually illustrated with contour lines.

Bedrock outcrop: A visible exposure of bedrock on the surface of the earth.

Beneficiation: Crushing and separating ore into valuable substances or waste.

Bentonite: An absorptive and colloidal clay used especially as a sealing agent or suspending agent.

Best Available Control Technology (BACT): An emission limitation (including a visible emission standard) based on the maximum degree of reduction for each pollutant subject to regulation under the Clean Air Act that would be emitted from any proposed major stationary source or major modification, taking into account energy, environmental, and economic impacts and other costs.

Best Management Practice (BMP): The schedule of activities, prohibition of practices, maintenance procedures, and other management practices to avoid or minimize pollution or habitat destruction to the environment. BMPs can also include treatment requirements, operating procedures and practices to control runoff, spillage, or leaks; sludge or waste disposal; or drainage from raw material storage.

Bioaccumulation: The accumulations of chemicals in the tissue of organisms through any route, including respiration, ingestion, or direct contact with contaminated water or sediments.

Bioassay: A type of scientific experiment that is typically conducted to measure the effects of a substance on a living organism and is essential in monitoring environmental pollutants.

Biodiversity: The degree of variation in lifeforms within a given species, ecosystem, or biome. It is a measure of the health of ecosystems.

Biotic community: A group of interdependent organisms inhabiting the same region and interacting with each other.

Biwabik Iron Formation: An approximately 1.9-billion-year-old sequence of iron-rich sedimentary rocks that was metamorphosed at its easternmost extent by approximately 1.1-billion-year-old intrusions of the Duluth Complex.

Brownfield site: Abandoned or underutilized industrial or commercial property available for reuse which may be contaminated by the presence or potential presence of a hazardous substance or pollutant.

Buffer zone: An area or region distinguished from adjacent parts by a distinctive feature or characteristic.

Calcareous fen: Rare and distinctive wetlands characterized by a substrate of non-acidic peat and dependent on a constant supply of cold, oxygen-poor groundwater rich in calcium and magnesium bicarbonates.

CALPUFF model: The USEPA-approved non steady-state puff dispersion model that simulates the effects of time- and space-varying meteorological conditions on pollution long-range transport, transformation, and removal. CALPUFF can be applied in complex terrain conditions.

Class I area: Under the Clean Air Act, a Class I area is one in which some criteria pollutants, visibility, and other air quality related values (AQRVs) are protected more stringently than under the national ambient air quality standards. Class I areas include national parks, wilderness areas, monuments, and other areas of special national and cultural significance.

Class II area: Under the Clean Air Act, Class II areas are all areas that have been demonstrated to be in attainment with the federal National Ambient Air Quality Standards that are not designated as Class I areas; modest increments of new pollution would be allowed.

Clean Air Act (CAA): The Clean Air Act of 1970 is a United States federal law intended to control air pollution and protect air quality. The act—which underwent major revisions in 1990 and 2003—deals with ambient air pollution (that which is present in the ambient air) as well as source-specific air pollution. The Clean Air Act sets standards for air quality that limit the amount of various pollutants to specified levels. The Clean Air Act also sets deadlines for governments and industries to meet the standards. The federal USEPA is ultimately responsible for establishing national standards and enforcing the Clean Air Act. State and local authorities that have approved plans to control air pollution are given local authority by the USEPA to administer these regulations.

Clean Air Interstate Rule (CAIR): The USEPA issued the CAIR in March 2005. This rule provides states with a solution to the problem of power plant pollution that drifts from one state to another. The rule uses a cap and trade system to reduce target pollutants—sulfur dioxide (SO₂) and nitrogen oxides (NOx)—by 70 percent.

Clean Water Act (CWA): A federal act that establishes the basic structure for regulating discharges of pollutants into the waters of the United States and regulating quality standards for surface waters. The basis of the Act was enacted in 1948 and was called the federal Water Pollution Control Act, but the Act was significantly reorganized and expanded in 1972. "Clean Water Act" became the Act's common name with amendments in 1972. Under the Clean Water Act, the United States has implemented pollution control programs including industrial wastewater standards and water quality standards for all contaminants in surface waters. The Act has made it unlawful to discharge any pollutant from a point source into navigable waters, unless a permit is obtained.

CWA Section 404 Permit: Permit that authorizes the discharge of dredged or fill material into waters of the United States, including many wetlands. Responsibility for implementing Section 404 is shared by the United States Army Corps of Engineers (USACE) and USEPA.

Closure: The process of terminating and completing final steps in reclaiming any specific portion of a mining operation. Closure begins when, as prescribed in the Permit to Mine, there will be no renewed use or activity by the permittee.

Coarse tailings: 50% or more of waste byproducts of mineral beneficiating processes other than heap and dump leaching, is retained on a No. 200 sieve and consists of rock particles, which have usually undergone crushing and grinding, from which the profitable mineralization has been separated.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): Commonly known as Superfund, legislation enacted in 1980 which created a tax on the chemical and petroleum industries and provided broad federal authority to respond directly to releases or threatened releases of hazardous substances that may endanger public health or the environment.

Comprehensive Land Use Plan: A document adopted by local elected officials that establishes policies and guidance for land use, municipal growth, public services, and infrastructure. Comprehensive plans can provide the rationale and legislative basis for local zoning and subdivision ordinances.

Coniferous bog recharge: The amount of precipitation that maintains and refills coniferous bogs, which are perched wetlands with generally no groundwater connection.

Connected action: According to Council on Environmental Quality (CEQ) regulations (40 CFR Part 1508.25), actions are connected if they automatically trigger other actions which may require environmental impact statements, cannot or will not proceed unless other actions are taken previously or simultaneously, and/or are interdependent parts of a larger action and depend on the larger action for their justification.

Consent decree: Also referred to as a consent order, this is a final, binding judicial decree or judgment memorializing a voluntary agreement between parties to a suit or dispute in return for withdrawal of a criminal charge or an end to a civil litigation. In a typical consent decree, the defendant has already ceased or agrees to cease the conduct alleged by the plaintiff to be illegal and consents to a court injunction barring the conduct in the future.

Consultation (for cultural resources): The process of seeking, discussing, and considering the views of other participants, and, where feasible, seeking agreement with them regarding matters arising in the Section 106 process. The Secretary's "Standards and Guidelines for federal Agency Preservation Programs pursuant to the National Historic Preservation Act" provide further guidance on consultation.

Contact period: Relating to the period of initial interaction between an indigenous people with an outside culture. In the United States, the term refers to an era of initial interaction between Native Americans and Europeans.

Cooperating Agency: According to CEQ regulations (40 CFR Part 1508.5), "Cooperating Agency" means any federal agency other than a lead agency which has jurisdiction by law or special expertise with respect to any environmental impact involved in a proposal (or a reasonable alternative) for legislation or other major federal action significantly affecting the quality of the human environment.

Council on Environmental Quality (CEQ): An agency within the Executive Office of the President that established the procedures to implement the National Environmental Policy Act of 1970. Regulations are found in 40 CFR 1500, et seq.

Criteria air pollutant: Seven common air pollutants for which the USEPA has set primary (may harm human health) or secondary (may affect the environment and/or cause property damage) national air quality standards. These pollutants are: particulate matter less than or equal to 10 microns in size, particulate matter less than or equal to 2.5 microns in size, sulfur dioxide, nitrogen dioxide, carbon monoxide, ozone, and lead.

Cubic feet per second: The rate of flow representing a volume of 1 cubic foot passing a given point in 1 second.

Culpability Analysis: The relative contribution of various contaminant sources to the overall contaminant load at a specific evaluation location.

Cultural resources: Archaeological, traditional, and built environment resources, including but not necessarily limited to buildings, structures, objects, districts, and sites.

Cumulative effect: The effects on the environment that would result from the incremental effect of the NorthMet Project Proposed Action when added to other past, present, and reasonably foreseeable future actions, regardless of who undertakes such actions. Cumulative effects can result from individually minor but collectively significant actions taking place over a period of time.

Cutoff trench: A trench which is below the foundation base line of a dam or other structure and is filled with an impervious material, such as clay or concrete.

Cuyuna Range: An iron range to the southwest of the Mesabi Range, largely between Brainerd and Aitkin within Crow Wing County, Minnesota.

Density factor: A pre-determined qualitative value which is then assigned to wild rice stands based on the density of wild rice present.

Detection limit: The lowest quantity of a material that can be detected from the absence of that material within a stated confidence.

Direct effect (for cultural resources): A physical alteration to the qualifying characteristics of a historic property included in or eligible for inclusion in the National Register.

Disseminated sulfide: Deposits of sulfide minerals which are distributed more or less uniformly within the surrounding waste rock.

Dissolved oxygen: The amount of gaseous oxygen dissolved into an aqueous solution, whether through diffusion from the air, aeration by agitation, or as a waste product of photosynthesis.

Drawdown: The lowering of the water level relative to a background condition.

Drift: Material such as sand, clay, gravel, and rocks transported and deposited by a glacier or glacial process.

Drilling log: A record of events or features of the formations penetrated or encountered during boring. Also known as a boring log.

Duluth Complex: A mafic intrusive igneous geological formation with quantities of copper, nickel, cobalt, platinum, palladium, and gold. The Duluth Complex lies at the eastern end of the Mesabi Iron Range in northeastern Minnesota.

Ecological land type: A hierarchical level of the National Hierarchical Framework of Ecological Units and Ecological Classification System that is determined based on differences in vegetation, soils, climate, geology, and/or hydrology.

Effect (for cultural resources): Alteration to the qualifying characteristics of a historic property included in or eligible for inclusion in the National Register.

Effluent: An outflow or discharge of a liquid.

Eligible (for cultural resources): Cultural properties formally determined as such in accordance with the regulations of the Secretary of the Interior and all other properties that meet the National Register criteria.

Emergency Planning and Community Right-to-Know Act (EPCRA): A federal act enacted in 1986 to help communities plan for emergencies involving hazardous substances. It establishes requirements for federal, state, and local governments; Indian tribes; and industry regarding emergency planning and

"Community Right-to-Know" reporting on hazardous and toxic chemicals.

Endangered Species: The classification provided to an animal or plant in danger of extinction within the foreseeable future throughout all or a significant portion of its range as defined in the Endangered Species Act (ESA).

Endangered Species Act: A federal act enacted in 1973 to provide for the conservation of ecosystems upon which threatened and endangered species of fish, wildlife, and plants depend. The ESA authorizes the determination and listing of species as threatened, and endangered and prohibits unauthorized taking, possession, sale, and transport of endangered species. Section 7 of the ESA requires federal agencies to ensure that any action authorized, funded, or carried out by them is not likely to jeopardize the continued existence of listed species or modify their critical habitats.

Environmental Justice: The fair treatment and meaningful involvement of all people regardless of race, color, national origin, age, or income with respect to the development, implementation, and enforcement of environmental laws, regulations, and policies. Fair treatment means that no group of people—including racial, ethnic, age socioeconomic groups—should bear disproportionate share of the negative environmental consequences resulting from industrial, municipal, and commercial operations or the execution of federal, state, local, and tribal programs and policies. Executive Order 12898 directs federal agencies to make achieving environmental justice part of their identifying missions bv and addressing disproportionately high and adverse effects of agency programs, policies, and activities on minority and low-income populations.

Ephemeral: Lasting for a short time or a short-lived organism. An ephemeral water body is a wetland, stream, or pond that exists briefly during and following a period of rainfall or snow melt.

Evapotranspiration: The amount of water removed from a land area by the combination of direct evaporation from the soil and plant transpiration.

Factor of Safety: Used to describe the ratio of resisting forces to driving forces along a potential failure surface, whereby a Factor of Safety of 1.0 represents equilibrium between the estimated resisting shear strength to the applied shearing load. Systems are often designed to a Factor of Safety above 1.0 to allow for unexpected loads, unexpected

operating conditions, and variations in estimated material properties.

Fen: Peat-forming wetlands that receive nutrients from sources other than precipitation—usually from upslope sources through drainage from surrounding mineral soils and from groundwater movement. These systems are often covered by grasses, sedges, rushes, and wildflowers. Over time, peat may build up and separate the fen from its groundwater supply. When this happens, the fen receives fewer nutrients and may become a bog.

Final closure: The period of time when ore-extracting activities of a mine or ore-production activities of a processing facility cease to continue, and decommissioning and reclamation activities are being completed.

Fine tailings: More than 50% of waste byproducts of mineral beneficiating processes, other than heap and dump leaching, passes the No. 200 sieve and consists of rock particles, which have usually undergone crushing and grinding, from which the profitable mineralization has been separated.

Fish assemblage: The list of fish species that occupy a given area, which is used as a sensitive indicator of overall ecosystem health, habitat degradation, or environmental contamination.

Fish consumption advisory: Federal, state, or local government guideline restricting the amount of fish consumption when certain species of fish are unsafe to eat due to the presence of harmful chemicals in their tissues.

Floodplain: The lowland areas adjacent to lakes, wetlands, streams, and rivers that are prone to being inundated by water during flood conditions.

Flotation tailings: Materials left over after valuable minerals have been separated during a flotation process.

Footwall: The mass of rock underlying a mineral deposit or the bedrock located beneath a fault plane.

Forb: A flowering, herbaceous (non-woody) plant other than a grass species.

Fragmentation: A decrease in the area of contiguous habitat available to wildlife.

Fugitive dust: Particulate matter composed of soil that is not emitted from a stack, vent, or hood; can include emissions from haul roads, wind erosion or exposed surfaces, and other activities in which soil is removed and redistributed.

GAP land cover: A hierarchically organized vegetation cover map developed as part of the U.S. Geological Survey's Gap Analysis Program (GAP). Units of analysis are Minnesota Ecological Classification System subsections.

General Land Office (GLO): The GLO records managed by U.S. Bureau of Land Management are the repository for all Federal land title records issued between 1820 and the present.

Geographic Information System (GIS): A system designed to store, modify, analyze, or present various types of geographical spatial data.

Geosynthetic membrane cover system: A process designed to exclude certain waste rock materials from oxidation, and which would include the installation of limestone, overburden, a geomembrane material, cover soil, and a vegetative soil layer.

Geotechnical assessment: An assessment of the stability of a slope or ground surface under load; used to identify risks or potential hazards of structural failure.

Giants Range: The Giants Range batholith is a body of granite in northeastern Minnesota that lies between the Mesabi and Vermilion iron-mining ranges. It outcrops as a narrow belt that strikes east-northeast and occupies an area of about 1,000 square miles. The Giants Range goes from just north of Hibbing (the "Hill of Three Waters" is in the Hull-Rust Mine) to Babbitt and rises from 200 to 400 feet above the surrounding area.

Glacial deposit: A collection of various-sized rocks and debris that is deposited by a glacier as it advances or recedes across a landscape. There are many types of deposits, including till, drift, erratics, and moraines.

Glacial till: Direct glacial deposits of rocks, gravel, or boulders that are unsorted and unstratified.

GoldSim: A probabilistic simulation platform for visualizing and simulating many types of physical, financial, or organizational systems. Most GoldSim applications fall into one of three categories: environmental systems modeling, business and economic modeling, or engineered systems modeling.

Greenhouse gas: Gases that trap heat in the atmosphere. Some greenhouse gases, such as carbon dioxide, occur naturally and are emitted to the atmosphere through natural processes and human activities. The principal greenhouse gases that enter the atmosphere because of human activities are

carbon dioxide, methane, nitrous oxide, and fluorinated gases.

Groundwater Containment System: An active or passive measure (typically, either is engineered) put into place to prevent or significantly reduce the migration of contaminants or groundwater flow, in groundwater or in the groundwater aquifer.

Groundwater divide: The boundary between two adjacent groundwater basins represented by a high point in the water table.

Groundwater drawdown: The lowering of the groundwater level (water table) relative to a background condition in a specific aquifer.

Groundwater mound: The increase or rise in height of a water table due to concentrated recharge in a given area.

Groundwater plume: The downgradient extension or spread of contaminated groundwater within the pore spaces or fractures of soil or rock.

Groundwater: The water located beneath the ground surface in soil or rock pore spaces or fractures.

Hardness: A measure of the amount of minerals that are dissolved in a water source; a higher mineral content indicates harder water, while lower mineral content indicates softer water. See Total dissolved solids (TDS).

Hazardous air pollutant: Air pollutants that are not covered by ambient air quality standards, but may present a threat of adverse human health effects or adverse environmental effects, and are specifically listed on the federal list of 189 hazardous air pollutants in 40 CFR 61.01 or in section 112(b) of the CAA.

Hazardous material: Any item or agent (biological, chemical, physical) that has the potential to cause harm to humans, animals, or the environment, either by itself or through interaction with other factors. The term includes hazardous substances, hazardous waste, marine pollutants, and elevated-temperature materials-materials designated as hazardous under the provisions of 49 CFR 172.101. Hazardous material categories include: explosives, gases, flammable liquids, flammable solids, spontaneous combustibles/dangerous when wet, oxidizers and organic peroxides, poisons and infectious substances, and corrosives.

Hazardous waste: Defined in the *Minnesota Statutes* as any refuse, sludge, or other waste material (or combinations of materials) in solid, semi-solid,

liquid, or contained gaseous form which, because of its quantity, concentration, or chemical, physical, or infectious characteristics, may cause or significantly contribute to an increase in mortality or an increase in serious irreversible, or incapacitating reversible illness, or pose a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported, disposed of, or otherwise managed.

Hazardous Materials Response Team: Personnel specially trained to handle dangerous goods, which include materials that are radioactive, flammable, explosive, corrosive, oxidizing, asphyxiating, biohazardous, toxic, pathogenic, or allergenic.

Health Risk Limit (HRL): A concentration of a substance or chemical adopted by rule of the Commissioner of Health that is a potential drinking water contaminant because of a systemic or carcinogenic toxicological result from consumption (*Minnesota Statute* 103H.005).

Herbaceous: Plants with leaves and stems that die down at the end of each growing season, and have no woody or persistent stems above ground.

Herbivore: An organism that is anatomically and physiologically adapted to survive by consuming only plant-based foods.

Hilsenhoff Biotic Index: An index of organic pollution that utilizes macroinvertebrate tolerances of pollution to assess water quality in streams and rivers.

Historic property: Any prehistoric or historic district, site, building, structure, or object included in, or eligible for inclusion in, the National Register of Historic Places maintained by the Secretary of the Interior. This term includes artifacts, records, and remains that are related to and located within such properties. The term includes properties of traditional religious and cultural importance to an Indian tribe or Native Hawaiian organization and that meet the National Register criteria.

Humidity cell: Geochemical kinetic tests designed to mimic weathering at the laboratory or at bench scale (controlled setting) to obtain bulk reaction rates. The test determines the rate of acid generation and the variation over time in leachate water quality.

Hydraulic conductivity: A measure of the ease with which a medium transmits water, such as water moving through pore spaces or fractures in soil or rock.

Hydrograph: A graph showing the variation of discharge with respect to time, with discharge meaning the volume of water flowing past a specific point versus the time it takes for it to do so, generally cubic feet per second (cfs).

Hydrology: The science dealing with the origin, distribution, and circulation of waters of the earth such as rainfall, streamflow, infiltration, evaporation, and groundwater storage.

Hydrometallurgical residue: Waste residues in the form of sludges that contain concentrations of metals as well as sulfur-bearing minerals in crystalline and amorphous form.

Hydrometallurgical: Pertaining to hydrometallurgy; involving the use of liquid reagents in obtaining metals from their ores.

Igneous rock: Rock formed from cooling and solidification of magma (molten rock).

Impaired water: As defined under Section 303(d) of the Clean Water Act, waters that are too polluted or degraded to meet the water quality standards set by states, territories, or authorized tribes.

IMPLAN: Economic modeling software that analyzes how local economies function and the economic consequences for a particular project in a geographic region.

In-advance mitigation: A form of mitigation that is designed, permitted, and constructed in advance of a permitted impact.

Indirect effect (for cultural resources): An alteration to the qualifying characteristics of a historic property included in or eligible for inclusion in the National Register that would not be considered a direct effect, which could include effects to a property's use, setting, or feeling, or introduction of incompatible visual, atmospheric, or audible elements.

Infiltration: The process of water entering the soil at the ground surface and the ensuing movement downward. Infiltration becomes percolation when water has moved below the depth at which it can return to the atmosphere by evaporation or evapotranspiration.

In-kind mitigation: The replacement of the impacted aquatic site with one of the same hydrologic regime and plant community types (same species composition).

In-place mitigation: The replacement of the impacted aquatic site would take place in the same 8-digit Hydrologic Unit Code (HUC) watershed as the proposed impacted resource. The USACE St. Paul District Policy uses the term "in-place" to include on site, which is defined as an area located on the same parcel of land as the impact site, or on a parcel of land contiguous to the impact site.

In situ: This refers to actions happening "in place" or "in position" where they would naturally occur.

Integrity (for cultural resources): The ability of a property to convey its significance based on its location, design, setting, materials, workmanship, feeling, and association.

Invasive species: Organisms that cause, or are likely to cause, harm to the economy, environment, or human health due to their tendency to out-compete other species.

Laurentian Divide: A geological formation that runs along the crest of low, rocky hills and divides the Red River and Rainy River basins from the Minnesota River and Lake Superior basins. The Laurentian Divide is part of the Northern Divide, a continental divide that separates drainages to the Hudson Bay and Arctic Ocean from all other drainages in North America. Streams on the north slope of the divide flow through Canada to Hudson Bay. On the south side of the divide, streams flow south to either Lake Superior and the Atlantic Ocean, or the Mississippi River and the Gulf of Mexico.

Laydown area: Material and equipment storage area during the construction phase of a project.

 L_{dn} : The day-night average sound level.

Leachate: Solution of product obtained by leaching, in which a substance is dissolved by the action of a percolating liquid.

Legacy contamination: Historic or existing pollution.

Location quotient: The ratio between the local economy and the economy of a reference unit.

Logging slash: The residue (e.g., treetops and branches) left on the ground after logging.

Long-term closure: An assessment of the sustainability of the site "post-closure" and defining the need for long-term monitoring and maintenance required by the site (i.e., the "burden" placed on succeeding generations).

Low solubility: Not easily dissolved in water.

Lynx analysis unit: Landscape-scale analysis areas used for lynx management.

Macroinvertebrate: An invertebrate (i.e., animal without vertebrae or backbone) that is large enough to be seen without the use of a microscope. Freshwater benthic macroinvertebrates comprise the following three animal phyla: Athropoda (crustaceans, insects, spiders), Annelida (segmented worms), and Mollusca (mollusks).

Management Area: The framework that defines intended land and resource uses on national forest lands, including timber harvesting regimes, Recreational Opportunity Spectrum designations, and other similar characteristics.

Management Indicator Habitat (MIH): Categories of forest types, including dominant species, stand age class, and stand condition.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water under the Safe Drinking Water Act. MCLs are enforceable standards.

Maximum Contaminant Level Goals (MCLGs): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Mercury: A highly toxic element that is found both naturally and as an introduced contaminant in the environment. Although concentrations in water are very low, mercury accumulates through the aquatic food chain, resulting in high concentrations in fish that can threaten the health of people and wildlife.

Mesabi Iron Range: A vast deposit of iron ore and the largest of four major iron ranges in the region collectively known as the Iron Range of Minnesota, Discovered in 1866, it is the chief deposit of iron ore in the United States. The Mesabi Iron Range is a belt of iron ore 110 miles long, averaging 1 to 3 miles wide, and reaching a thickness as great as 500 feet. It is located between Grand Rapids and Babbitt, Minnesota. The Mesabi Range was known to the local Ojibwe as *Mesabe Widjiu* which means "Giant's Mountain" or "Big-Man's Mountain."

Mesic prairie: A plant community dominated by native grasses, with soil moisture content that is between wet and dry.

Mesotrophic: Refers to a body of water having a moderate amount of dissolved nutrients.

Metamorphic rock: Rock that has been changed from an original form to a new form due to heat and pressure.

Meteoric water: The water derived from precipitation (snow and rain). This includes water from lakes, rivers, and icemelts, which all originate from precipitation indirectly.

Methylmercury (**MeHg**): A form of organic mercury which can accumulate up the food chain in aquatic systems and lead to high concentrations in predatory fish, which, when consumed by humans, can result in an increased risk of adverse effects in highly exposed or sensitive populations.

Mine pit dewatering: Removal of water from the mine pit(s).

Mineland reclamation: To reclaim, restore, enhance, or develop areas that have been affected by mining.

Mineral interest: The ownership rights to exploit, mine, and/or produce any or all of the minerals lying below the surface of a property.

Minerotrophic: Soils and vegetation whose water supply comes mainly from streams or springs, resulting in high nutrient levels and reduced acidity.

Minnesota Ambient Air Quality Standards (MAAQS): Air quality standards established under authority of *Minnesota Rules* 7009 that apply for outdoor air to protect human health and public welfare.

Mitigation measure: Actions to reduce, avoid, or offset the potential adverse environmental consequences of development activities.

Modeling: Predicting the probability of an outcome given a set amount of input data.

Monte Carlo simulation: A computerized mathematical technique that allows people to account for risk in quantitative analysis and decision-making. The simulation furnishes the decision-maker with a range of possible outcomes and the probabilities they will occur for any choice of action.

MODFLOW: A computer model used to simulate the flow of groundwater through aquifer.

National Ambient Air Quality Standards (NAAQS): Air quality standards established under authority of the Clean Air Act that apply for outdoor air to protect human health and public welfare.

National Environmental Policy Act (NEPA) of 1970: Under NEPA, projects and activities that require federal agency approvals or funding must undergo an evaluation of their impacts. The CEQ regulations (40CFR 1500, et seq.) contain the procedures for implementing NEPA.

National Historic Preservation Act (NHPA): Legislation enacted in 1966 intended to preserve historical and archaeological sites in the United States. Among other things, the Act requires federal agencies to evaluate the impact of all federally funded or permitted projects on historic properties (buildings, archaeological sites, etc.) through a process known as Section 106 Review. The main purpose for the establishment of the Section 106 Review process is to minimize potential harm and damage to historic properties. It allows interested parties an opportunity to comment on the potential impact projects may have on significant archaeological or historic sites. Additionally, the Act established the Advisory Council on Historic Preservation, State Historic Preservation Offices. National Register of Historic Places, and the list of National Historic Landmarks.

National Pollutant Discharge Elimination System (NPDES) Permits: Permits issued to regulate wastewater discharges to lakes, streams, wetlands, and other surface waters. In Minnesota, these permits establish specific limits and requirements to protect surface and groundwater quality for a variety of uses, including drinking water, fishing, and recreation. An individual NPDES permit for an industrial facility may cover a number of different waste types and activities, including industrial process wastewater, contact and non-contact cooling water, stormwater, contaminated groundwater pumpouts, water supply treatment backwash, and wastewater treatment sludges.

National Register criteria: The criteria established by the Secretary of the Interior for use in evaluating the eligibility of properties for inclusion on the National Register (36 CFR part 60).

National Register of Historic Places: The official list of the Nation's historic places worthy of preservation. Authorized by the National Historic Preservation Act of 1966, the National Park Service's National Register of Historic Places is part of a national program to coordinate and support public and private efforts to identify, evaluate, and protect America's historic and archeological resources.

New Source Performance Standards: Pollution control standards issued by the USEPA and under Section 111 of the Clean Air Act which dictate the level of pollution that a new stationary source (constructed on or after January 30, 2004) may emit.

Noise-sensitive receptors: Locations or areas where dwelling units or other fixed, developed sites of frequent human use occur.

Non-contact Stormwater: Stormwater that has not been affected by sulfides and metal leachates from oxidized rock exposed through mining.

Non-degradation: As applied under the Clean Water Act and federal regulations, the term refers to both a policy and a regulatory process for the preservation of existing uses, preventing unnecessary degradation of high water quality, and protecting and maintaining specific waterbodies with outstanding characteristics.

North American Industrial Classification System (NAICS): The standard used by federal statistical agencies in classifying business establishments for the purpose of collecting, analyzing, and publishing statistical data related to the United States business economy.

Oligotrophic: Lacking in plant nutrients such as phosphates, nitrates, and organic matter, and consequently having few plants and a large amount of dissolved oxygen throughout.

One Hundred Mile Swamp: A large wetland located between Babbitt and Hoyt Lakes, Minnesota that has been rated high quality due to high watershed integrity, large amount of interior forest, and high-quality lowland coniferous forests.

Open bog: A carpet of living sphagnum moss growing over a layer of acid peat.

Ore stripping ratio: Ratio of waste rock to ore.

Ore Surge Pile: A temporary ore storage pile located near the Rail Transfer Hopper, which would help maintain a steady delivery of ore to the Processing Plant.

Ore: A type of rock that contains minerals with important elements including metals that are economically extracted through mining processes.

Outcrop area: A visible exposure of bedrock or ancient superficial deposits on the surface of the Earth.

Outfall: The discharge point of a waste stream into a body of water; alternatively, it may be the outlet of a

river, drain, or a sewer where it discharges into a lake or other body of water.

Out-of-kind mitigation: The replacement of an impacted aquatic site with one of a different hydrologic regime and plant community type (different species composition).

Out-of-place mitigation: The replacement of the impacted aquatic site would take place in a different 8-digit HUC watershed as the proposed impacted resource.

Outlier: An observation that is numerically distant from the rest of the data.

Overburden: Material of any nature, consolidated or unconsolidated, that overlies a deposit of useful materials, ores, or coal, especially those deposits that are mined from the surface by open cuts.

Overstory: The larger, taller trees which occupy a forest area and shade young trees, hardwoods, brush, and other deciduous varieties that are growing beneath the larger trees (i.e., understory).

Oxidation: A common chemical reaction involving the combination of a substance such as sulfide minerals with oxygen.

P90: 90th percentile probability, which means that there is at least a 90 percent probability that a constituent would not exceed the evaluation criteria.

Paleoindian period: A cultural period circa 12,000 to 9,000 years ago, or 10,000 to 7,000 B.C.; the earliest North American archaeological epoch, characterized by retreating glaciers, mastodons and other large mammals, and small mobile groups of bunters

Particulate matter: Fine liquid or solid particles such as dust, smoke, mist, fumes, or smog, found in ambient air or emissions.

Paste or thickened tailings: Tailings that have been significantly dewatered to a point where they will form a homogeneous nonsegregated mass when deposited from the end of a pipe.

Peat deposit: Deposits of partially decayed organic material (vegetation) that typically forms in wetland bog areas.

Perched: Contained by an underlying impervious layer, often used in reference to wetlands.

Perennial: Occurring or persisting for more than 2 years, often in reference to plant species.

Perimeter dam: Outer constructed embankments of a tailings basin.

Permeability: A measure of the ability of a material (such as soil or rock) to transmit fluids.

Permeable reactive barrier: On-site method for remediating contaminated water that combines a passive chemical or biological treatment zone with subsurface fluid flow management.

Permit to Mine: Pursuant to *Minnesota Rules* 6132, a Permit to Mine means a legal approval issued by the commissioner of the Minnesota Department of Natural Resources to conduct a mining operation. Under Wetlands Conservation Act provisions, wetlands must not be impacted as part of a project for which a permit to mine is required, except as approved by the commissioner (*Minnesota Rules* 8420.0930).

pH: A measure of relative acidity or alkalinity of a solution, expressed on a scale from 0 to 14, with the neutral point at 7. Acid solutions have pH values lower than 7, and basic (alkaline) solutions have pH values higher than 7.

Phase I Environmental Site Assessment (ESA): An environmental site assessment and report that identify potential or existing environmental contamination liabilities associated with a specific property.

Piezometer: A device that measures the pressure or level of groundwater at a specific point.

Point source discharge: Discharge of wastewater or other materials at a single location.

Porosity: A measure of the void (i.e., "empty") spaces in a material.

Post-closure: Phase of activities (inspection, maintenance, and reporting) that occur after the closure activities are complete.

Post-contact period: Relating to the period of time subsequent to the initial interaction of an indigenous people with an outside culture. In the United States, the term refers to an era of significant European influence for which a written record exists.

Precipitation: Any product of the condensation of atmospheric water vapor that falls under gravity. The main forms of precipitation include drizzle, rain, sleet, snow, and hail.

Pre-contact period: Relating to the period of time before contact of an indigenous people with an outside culture. In the United States, the term refers

to an era before significant European influence for which a written record does not exist.

Prevention of Significant Deterioration: A federal preconstruction permitting program that applies to areas that are not violating National Ambient Air Quality Standards.

Private mineral estate: The ownership of mineral rights on land, which allows the owner to mine or produce any minerals lying below the surface of the property.

Process water: Any water that, during manufacturing or processing, comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, byproduct, or waste product.

Progressive reclamation: Reclamation activities that could occur while the mining project is still in operation, allowing for a portion of the disturbed areas to be reclaimed prior to closure.

Proposed Connected Actions: The Proposed Connected Actions would involve both the NorthMet Project Proposed Action and the Land Exchange Proposed Action.

Proposed Connected Actions Alternative B:Proposed Connected Actions Alternative B would involve the NorthMet Project Proposed Action and the Land Exchange Alternative B.

Pumping test: Conducted to evaluate an aquifer by "stimulating" the aquifer through constant pumping, and observing the aquifer's drawdown in observation wells. It is a tool that hydrogeologists use to characterize a system of aquifers, aquitards, and flow system boundaries.

Rail Transfer Hopper: A unit located at the Mine Site and would consist of a raised platform from which haul trucks would dump ore into a hopper over a pan feeder, which would discharge into a rail car below it.

Reclamation: Activities that successfully accomplish the requirements of *Minnesota Rules* parts 6132.2000 to 6132.3200. Actions intended to return the land surface to an equivalent undisturbed condition. Restoration of mined land to original contour, use, or condition. Steps or operations integral to mining that prepare the land for post-mining use are called reclamation. When the objective of reclamation is to return the land to pre-mining conditions and uses, it is sometimes called restoration.

Recreation Opportunity Spectrum (ROS): The framework expressing the desired range of recreational activities that will be encouraged and permitted on national forest lands.

Reject concentrate: Process water or brine that would result from the reverse osmosis process.

Remediation: Actions taken to respond to a hazardous material release or threat of a release that could affect human health and/or the environment.

Riparian: Relating to or located on the bank of a natural watercourse (or a river or stream).

Rock buttress: A rock aggregate structure built against a slope for reinforcement and support.

Rosgen geomorphic survey: A four-level hierarchy survey designed to classify streams based on quantifiable field measurements to produce consistent and reproducible descriptions of stream types and conditions.

Saturated overburden: That material unable to contain or hold more moisture of any nature, consolidated or unconsolidated, that overlies a deposit of useful materials, ores, or coal, especially those deposits that are mined from the surface by open cuts.

Scenic Integrity Objective (SIO): A statement of the intended visual conditions of national forest lands. Scenic Integrity Objectives are part of the United States Forest Service Scenery Management System.

Section 303(d) of the Clean Water Act: A portion of the federal act that requires states, territories, and authorized tribes to develop lists of impaired waters. These impaired waters do not meet water quality standards that the regulatory authorities have set for them, even after point sources of pollution have installed the minimum required levels of pollution control technology. The law requires that these jurisdictions establish priority rankings for waters on the lists and develop total maximum daily loads for these waters.

Section 404 of the Clean Water Act: see CWA Section 404 Permit.

Section 401 water quality certification: According to the Clean Water Act, anyone who wishes to obtain a federal permit for any activity that may result in a discharge to navigable waters of the United States must first obtain a state Section 401 water quality certification to ensure that the project will comply with the state water quality standards. For example, if

someone proposes to discharge dredged or fill material into waters of the United States, including many wetlands, they generally must obtain a Section 404 permit from the USACE and, in Minnesota, a Section 401 water quality certification from the Minnesota Pollution Control Agency.

Sedge meadow: An open, groundwater-influenced, sedge- and grass-dominated wetland that typically borders streams but is also found on pond and lake margins and above beaver dams. Soils are nearly always sapric peat and range from strongly acid to neutral in pH.

Sedimentary rock: Rock formed from consolidation of loose sediment that has accumulated in layers.

Severed mineral interest: Any whole or partial interest in any or all minerals underlying land that has been separated from surface land ownership.

Significance (for cultural resources): The importance of a cultural property for its historical, architectural, archeological, engineering, or cultural values based upon the National Register criteria.

Significant effect: An effect that is predicted to be above an identified threshold and/or an effect that was determined by the lead agencies to have a magnitude that is large based on the context and intensity of that effect.

Slimes: The mixture of fine particles derived from ore, tailings, rock, or clay generally held in suspension in water as generated during ore processing.

Sludge: A semi-solid residue containing a mixture of solid waste material and water from air or water treatment processes.

Slug test: A type of aquifer test where water is quickly added or removed from a groundwater well to monitor and determine the hydraulic conductivity of the material in which the well is located.

Slurry wall: An underground reinforced wall in areas of soft earth or with a high water table typically made of concrete or bentonite; often used to restrict flow of groundwater from one area to another.

Spigots: Devices used to discharge tailings for conventional storage. They are typically located along the embankment(s) of a facility.

Spill Prevention Control and Countermeasure (SPCC) **Plan:** A written plan that includes requirements for oil spill prevention, preparedness,

and response to prevent oil discharges to navigable waters and adjoining shorelines.

Standard: A level of quality or attainment set by Minnesota water use classifications (*Minnesota Rules* 7060, 7050, and 7052), USEPA primary MCLs (pMCL), USEPA secondary MCLs (sMCL), and MDH HRLs.

Standard Industrial Classification (SIC) codes: A system for categorizing businesses in the United States, used by the United States government from 1937 to 1996. The Standard Industrial Classification system was replaced by the North American Industry Classification System in 1997.

State Disposal System (SDS) permit: In Minnesota, this is a permit that establishes the terms and conditions that must be met when a facility discharges wastewater to the ground surface or subsurface.

State Historic Preservation Office (SHPO): The office and official appointed or designated pursuant to section 101(b)(1) of the National Historic Preservation Act to administer the State Historic Preservation Program or a representative designated to act for the State Historic Preservation Officer.

Stormwater: According to *Minnesota Rules*, Chapter 7090, stormwater is defined as storm water runoff, snow melt runoff, and surface runoff and drainage.

Strahler Order: A stream order system used to classify stream segments based on the number of tributaries upstream, with headwater streams being first-order streams.

Stream geomorphic monitoring: The monitoring of changes in stream geology or features over time.

Streamflow: The flow of water in streams, rivers, and other channels. A major element of the water cycle, it is one component of the runoff of water from the land to waterbodies, with the other component being surface runoff.

Structure (for cultural resources): Any humanbuilt, aboveground object, which may include, but is not limited to, a building, bridge, road, railroad, etc. Although not exclusive, structures are generally considered to be from contact and post-contact periods, as opposed to archaeological sites, which are generally considered to be associated with the precontact period.

Subaqueous: Existing or situated under water.

Subsistence: The source from which food and other items necessary to exist are obtained.

Substrate: The type of material that rests at the bottom of a stream, river, lake, etc., which could include sand, gravel, mud, or boulders.

Sulfate: A negatively charged ion that can be produced when metal sulfides are oxidized, consisting of one atom of sulfur and four atoms of oxygen, SO₄.

Sulfide mineral: A class of minerals containing sulfides, many of which contain metals.

Sulfide: A form of sulfur that often is found in the environment bound to metals.

Surface right: The landowner's rights to the upper boundary (surface) of the land only, which does not include subsurface rights.

Surface water divide: The boundary between two adjacent surface water basins, often dictated by land topography.

Surficial aquifer: Shallow aquifers typically less than 50 feet.

Surficial glacial deposit: A collection of various sized rocks and debris deposited by glacial activity that is left on the earth's surface after the glacier recedes.

Surficial groundwater: Groundwater in surficial aquifers, which continuously is unconfined and moves along the hydraulic gradient from areas of recharge to streams and other places of discharge.

Surrogate: A method to statistically analyze using modified data.

Taconite: A low-grade iron ore, containing about 27 percent iron and 51 percent silica found as a hard rock formation in the Lake Superior region.

Tailings: Waste byproducts of mineral beneficiating processes other than heap and dump leaching, consisting of rock particles, which have usually undergone crushing and grinding, from which the profitable mineralization has been separated.

Tailings basin: Land on which is deposited, by hydraulic or other means, the material that is separated from the mineral product in the beneficiation or treatment of ferrous minerals including any surrounding dikes constructed to contain the material.

Take: To harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct, a threatened or endangered wildlife species. To pick, dig, collect, or destroy, or to attempt to engage in any such conduct, a threatened or endangered plant species.

Threatened Species: Any species which is likely to become an endangered species within the foreseeable future throughout all or a significant portion of its range as defined in the Endangered Species Act.

Till: See Glacial Till.

Total dissolved solids (TDS): A measure of the total amount of ions (minerals, salts, or metals) that are dissolved in a given volume of water. See Hardness.

Total maximum daily load (TMDL): A calculation of the maximum amount of a pollutant that a water body can receive and still safely meet water quality standards.

Toxics Release Inventory (**TRI**): A USEPA maintained database containing data on disposal or other releases of over 650 toxic chemicals from thousands of United States facilities and information about how facilities manage those chemicals through recycling, energy recovery, and treatment.

Traditional Cultural Property (TCP): A property that is eligible for inclusion in the National Register because of its association with cultural practices or beliefs of a living community that are rooted in that community's history, and are important in maintaining the continuing cultural identity of the community.

Tribal Historic Preservation Officer (THPO): The tribal office or official appointed by the tribe's chief governing authority or designated by a tribal ordinance or preservation program who has assumed the responsibilities of the State Historic Preservation Officer for purposes of Section 106 compliance on tribal lands in accordance with section 101(d)(2) of the Act.

Trygg: John William Trygg was a land use consultant, appraiser of natural resources, and early surveyor of Minnesota in the 1950s. He developed a system used to make historical appraisals on behalf of various Indian tribes in the Midwest. The Trygg Composite Maps, like the General Land Office (GLO) maps, depict both Native American and Euro-American features.

Unconsolidated deposit: Sediment not cemented together; may consist of sand, silt, clay, and organic material.

Underdrain: A drain, installed in porous fill, for drawing off surface water or water from the soil, as under the slab of a structure.

Unique Biological Areas: This management area designation by the United States Forest Service is allocated to areas to preserve features with unique biological value within the Superior National Forest.

United States Forest Service Regional Foresters Sensitive Species (RFSS): A list developed by the Regional Forester that identifies sensitive species. Sensitive species are defined as "plant and animal species identified by the Regional Forester for which population viability is a concern as evidenced by: (a) significant current or predicted downward trends in population numbers or density, and/or (b) significant current or predicted downward trends in habitat capability that would reduce a species' existing distribution." Sensitive species are usually designated for an entire region, but independent "Forest Sensitive" lists are maintained by some individual National Forests.

United States Geological Survey (USGS) gaging station: Facilities used by hydrologists to automatically monitor streams, wells, lakes, canals, reservoirs, and or other water bodies. Instruments at these stations collect information such as water height, discharge, water chemistry, and water temperature.

Unsaturated overburden: All mineral overburden, including zones of soil formation, located above the water table.

Usufructuary: Pertains to a person or group who has the legal right to use resources within a property that is not owned by them. Specific to the NorthMet Project Proposed Action, this pertains to the rights—derived from treaties, statutes, agreements, executive orders, and the like—of the Bands to hunt, fish, and gather 1854 Treaty resources on lands within the 1854 Ceded Territory.

Virginia Formation: Geological sedimentary rock formation located above the Biwabik Iron Formation.

Volatile organic compound: Organic chemicals that have a high vapor pressure at ordinary, room-temperature conditions.

Voluntary Investigation and Cleanup (VIC) program: The Minnesota Pollution Control Agency's program to allow property transactions to move forward while promoting redevelopment of contaminated property and mitigating health or environmental risks. Program benefits to

communities include new development, jobs, and an increased tax base in old industrial zones.

Waste rock: Rock without economic value that surrounds ore.

Wastewater treatment facility (WWTF): A facility at which chemical, biological, or mechanical procedures are applied to an industrial or municipal discharge to remove, reduce, or neutralize contaminants.

Wastewater treatment plant (WWTP): An industrial structure designed to remove biological or chemical waste products from water, thereby permitting the treated water to be used for other purposes.

Water appropriation permit: A permit from the Minnesota Department of Natural Resources required for all users withdrawing more than 10,000 gallons of water per day or 1 million gallons per year.

Water clarity: A measure of how far light penetrates through water. The deeper light penetrates, the clearer the water. How far down light penetrates through water depends on how many particles are suspended in the water. Suspended particles reduce water clarity by absorbing and scattering light.

Water quality standard: The foundation of the water quality-based pollution control program mandated by the Clean Water Act. Water quality standards define the goals for a water body by designating its uses, setting criteria to protect those uses, and establishing provisions such as antidegradation policies to protect waterbodies from pollutants.

Watershed: A geographic area from which water is drained by a river and its tributaries to a common outlet. A ridge or drainage divide separates a watershed from adjacent watersheds.

Wetland Conservation Act (WCA): Minnesota legislation, codified in *Minnesota Rules*, Part 8420, designed to achieve no net loss in the quantity, quality, and biological diversity of existing Minnesota wetlands, by avoiding impacts to them or restoring and enhancing diminished wetlands. This program is administered by local governments with oversight by the Board of Water and Soil Resources.

Wetland delineation: The act of establishing the boundary between wetlands and uplands (or non-wetlands) using soils, hydrology, and vegetation as indicators.

Wetland: Those areas that are inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and that, under normal circumstances, do support a prevalence or vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.

Wild rice: A tall aquatic annual grass (*Zizania palustris*) of North America, bearing edible grain that typically grows in shallow lakes or slow-moving rivers and streams.

Woodland period: A cultural period circa 2,500 to 850 years ago, or 500 B.C. to 1250 A.D.; characterized by the beginnings of modern tribes, clay pottery, agriculture, and ceremonial burial mounds.

XP-SWMM: Comprehensive modeling software for surface water systems.

Zoning ordinance: Locally adopted regulations that divide a town, city, village, or county into separate districts (e.g., residential, commercial, or industrial), define the permitted and prohibited land uses in those districts, and set forth specific development requirements (such as minimum lot size, height restrictions, etc.

-Page Intentionally Left Blank-